

Pest Control

Designers, Manufacturers and Suppliers



Electric Grid Fly Killers	
Compact Range	5, 6
The Popular Range	7, 8
The Professional T160	9
IP Rated T95 & Lantern	10
Nano	11, 12
Glue Board Fly Killers	
Nano	14 - 16
Vanquish	17
Vulcan	18
Fly Shield	19
Fly Shield Solo & Solo Plus	20
Fusion	21
Fly Check	24
GLU 60 & GLU 90	22
X-Fly	23
Wall Fly	25
Protect-a-lite 8	26
Replacement Lamps	
UVA Lamps for Fly Killers	27, 28
UVC Lamps for ponds etc	28
Other Items	
Replacement Glue Boards	29
Cluster Box	30
Miscellaneous Items	30
Terms and Conditions	31

Introduction



ower has been designing and manufacturing flying insect control units under its **Insect-a-clear** brand for the pest control and hygiene industries for over 30 years.

Since its acquisition of the UV Light Company in 2000, Bower has also expanded to be one of the largest suppliers of UV lamps in Europe.

Bower is unique in that the entire **Insect-a-clear** range is manufactured by us in the UK, in the same building that houses our lamp sleeving plant.

Bower is a family-run business whose aims and objectives are to supply the pest control industry with not only a machine for every eventuality but to also supply the most comprehensive range of UV lamps available.

As with the other divisions of the business, Bower only sells via its network of pest controllers, international wholesalers and washroom service providers, so if you are involved in these areas, we want to hear from you.



Bower is a major player in three market sectors - pest control, washroom hygiene and hospitality as shown above.



Insect-a-clear



The Compact Range

ELECTRIC GRID FLY KILLERS





This range has been designed, developed and produced by the Insect-a-clear team in the UK

- Easy to service, all steel range offers exceptional value for money
- Now comes in a range of different sizes from 15w to 80w
- The Compact Range brings with it many of the benefits usually only found on more expensive machines



The Compact Range Electric Grid Fly Killers

Order code	Description	Coverage approx. sq.m	Lamps	Lamp code	Size in cm W x H x D
F25CBW	Compact 15 in white with standard lamp	30-40	1 x 15w x 12"	LS14WX-W	37 x 22.5 x 11
F25CSW	Compact 15 in white with shatter resistant lamp	30-40	1 x 15w x 12"	LS14WS-W	37 x 22.5 x 11
F30CBW	Compact 30 in white with standard lamps	40-60	2 x 15w x 12"	LS14WX-W	37 x 22.5 x 11
F30CSW	Compact 30 in white with shatter resistant lamps	40-60	2 x 15w x 12"	LS14WS-W	37 x 22.5 x 11
F45CBW	Compact circline in white with standard lamp	50-80	1 x 22w circline	LC22WX-W	31 x 34 x 11.5
F45CSW	Compact circline in white with shatter resistant lamp	50-80	1 x 22w circline	LC22WS-W	31 x 34 x 11.5

ELECTRIC GRID FLY KILLERS

The Compact Range



Insect-a-clear

This range has been designed, developed and produced by the Insect-a-clear team in the UK

- Easy to service, all steel range offers exceptional value for money
- Now comes in a range of different sizes from 15w to 80w
- The Compact Range brings with it many of the benefits usually only found on more expensive machines
- All units can be wall mounted or suspended







The Compact Range Electric Grid Fly Killers

Order code	Description	Coverage approx. sq.m	Lamps	Lamp code	Size in cm W x H x D
F66CBW	Compact 66 in white with standard lamps	80-130	2 x 15w x 18"	LS15WX-W	50 x 27 x 14.5
F66CSW	Compact 66 in white with shatter-resistant lamps	80-130	2 x 15w x 18"	LS15WS-W	50 x 27 x 14.5
F18CBW	Compact Maxi in white with standard lamps	180-280	2 x 40w x 24"	LS40WX-S	60 x 39.5 x 15.5
F18CSW	Compact Maxi in white with shatter-resistant lamps	180-280	2 x 40w x 24"	LS40WS-S	60 x 39.5 x 15.5

Insect-a-clear



ELECTRIC GRID FLY KILLERS The Popular Range



These offer tools-free servicing with quick release front guards and removable stainless steel high tension grids

• T35 15w available in both bright annealed stainless steel and powder coated white steel. T65 30w available in powder-coated white steel



Cluster Fly Problems? The machines on this page are commonly used with the Cluster Box. (See page 30)



The Popular Range Electric Grid Fly Killers

Order code	Description	Coverage approx. sq.m	Lamps	Lamp code	Size in cm W x H x D
F35CSW	T35 in white with shatter-resistant lamp	35-55	1 x 15w x 18"	LS15WS-W	50 x 23 x 14.5
F35CSS	T35 in stainless with shatter-resistant lamp	35-55	1 x 15w x 18"	LS15WS-W	50 x 23 x 14.5
F65CSW	T65 in white with shatter-resistant lamps	80-130	2 x 15w x 18"	LS15WS-W	50 x 27 x 14.5

ELECTRIC GRID FLY KILLERS

The Popular Range



Insect-a-clear

These offer tools-free servicing with quick release front guards and removable stainless steel high tension grids



• Both models available in bright annealed stainless steel or powder coated white steel







The Popular Range Electric Grid Fly Killers

Order code	Description	Coverage approx. sq.m	Lamps	Lamp code	Size in cm W x H x D
F50CSW	T50 in white with shatter-resistant lamp	60-100	1 x 22w circline	LC22WS-W	32 x 39.5 x 15
F50CSS	T50 in stainless with shatter-resistant lamp	60-100	1 x 22w circline	LC22WS-W	32 x 39.5 x 15
F10CSW	T100 in white with shatter-resistant lamp	110-180	2 x 22w circline	LC22WS-W	54.5 x 39.5 x 15
F10CSS	T100 in stainless with shatter-resistant lamp	110-180	2 x 22w circline	LC22WS-W	54.5 x 39.5 x 15

Insect-a-clear



Professional



This model was designed with the pest control professional in mind

- Tools-free servicing with quick release front guards
- SprIng-loaded removable stainless steel killing grids
- Stainless steel catch trays and cleverly designed anti-crawl fly edges on both models
- For maximum all-round attraction the UV lamps are staggered each side of the killing grid





Professional Electric Grid Fly Killer

Order code	Description	Coverage approx. sq.m	Lamps	Lamp code	Size in cm W x H x D
F16CSW	T160 in white with shatter-resistant lamps	150-240	4 x 15w X 18"	LS15QS-S	46.5 x 42.5 x 15
F16CSS	T160 in stainless with shatter-resistant lamps	150-240	4 x 15w X 18"	LS15QS-S	46.5 x 42.5 x 15

ELECTRIC GRID FLY KILLERS

IP Rated



Insect-a-clear

When fly control is needed in wet or damp areas an IP rating is essential

- The IP Rated (IPX4) electric grid model, the professional Lantern, is made out of steel/ stainless steel and is great for BBQ areas and pub gardens etc.
- The IP Rated (IPX5) electric grid model, the T95-IP, is the most popular choice for most internal wet applications





Lantern 18w







IP Rated Electric Grid Fly Killer

Order code	Description	Coverage approx. sq.m	Lamps	Lamp code	Size in cm W x H x D
FL3CBB	Lantern in black and stainless – standard lamp	100	1 x 18w	LL18WX-0	30.5 dia. x 44
FL3CSB	Lantern in black and stainless – shatter-resistant lamp	100	1 x 18w	LL18WS-0	30.5 dia. x 44
F95ISS	T95 IPX5 rated in stainless – shatter-resistant lamps	110-180	2 x 18w x 24"	LS18WS-P	65 x 27.5 x 14.5







Nano H30



Tools-free servicing

The UK manufactured glue board and electric grid models cover virtually every pest controller's requirement for flying insect control – all produced in a co-ordinated design

- 5 year guarantee (terms and conditions apply)
- Tools-free servicing remove lamps and killing grid in under 15 seconds
- White or stainless steel
- Continuity of design throughout the range allowing a co-ordinated appearance where multiple units (glue board or electric grid) are required throughout a site
- Easy-to-clean vertical surfaces
- Suspended or wall mounted
- Lift and lock front guards allowing unrestricted access to serviceable parts
- Manufactured in the UK, like every Insect-a-clear
- Crisp, modern lines with a contemporary twist
- Wall plates are available if required





Nano H30 Electric Grid Fly Killer

Order code	Description	Coverage approx. sq.m	Lamps	Lamp code	Size in cm W x H x D
FHN3SW	Nano H30 in white with shatter-resistant lamp	90-140	2 x 15w X 18"	LS15WS-0	50 x 35 x 12
FHN3SS	Nano H30 in stainless with shatter-resistant lamp	90-140	2 x 15w X 18"	LS15WS-0	50 x 35 x 12

Nano H72









Tools-free servicing

Continuity of design throughout the range – allowing a co-ordinated appearance where multiple units (glue board or electric grid) are required throughout a site

- 5 year guarantee
- Tools-free servicing remove lamps and killing grid in under 15 seconds
- White or stainless steel
- Easy-to-clean vertical surfaces
- Suspended or wall mounted
- Lift and lock front guards allowing unrestricted access to serviceable parts
- Manufactured in the UK, like every Insect-a-clear
- · Crisp, modern lines with a contemporary twist
- Wall plates are available if required



Nano H72 Electric Grid Fly Killer

Order code	Description	Coverage approx. sq.m	Lamps	Lamp code	Size in cm W x H x D
FHN7SW	Nano H72 in white with shatter-resistant lamp	150-240	2 x 36w X 24	LS36WS-S	65.5 x 35 x 12
FHN7SS	Nano H72 in stainless with shatter-resistant lamp	150-240	2 x 36w X 24	LS36WS-S	65.5 x 35 x 12













Continuity of design throughout the range – allowing a co-ordinated appearance where multiple units (glue board or electric grid) are required throughout a site

- 5 year guarantee
- Tools-free servicing
- White or stainless steel
- Easy-to-clean vertical surfaces
- Suspended or wall mounted
- Lift and lock front guards allowing unrestricted access to serviceable parts
- Manufactured in the UK, like every Insect-a-clear
- · Crisp, modern lines with a contemporary twist









Nano G20 Glue Board Fly Killer

Order code	Description	Coverage approx. sq.m	Lamps	Lamp code	Glue board	Size in cm W x H x D
FGN2BW	Nano G20 in white with standard lamp	30-40	1 x 20w	LL20WX-W	MGNTR2	28 x 35 x 15
FGN2BS	Nano G20 in stainless with standard lamp	30-40	1 x 20w	LL20WX-W	MGNTR2	28 x 35 x 15
FGN2SW	Nano G20 in white with shatter resistant lamp	30-40	1 x 20w	LL20WS-W	MGNTR2	28 x 35 x 15
FGN2SS	Nano G20 in stainless with shatter resistant lamp	30-40	1 x 20w	LL20WS-W	MGNTR2	28 x 35 x 15












Tools-free servicing



- 5 year guarantee
- Tools-free servicing
- White or stainless steel
- Easy-to-clean vertical surfaces
- Suspended or wall mounted
- Lift and lock front guards allowing unrestricted access to serviceable parts
- Manufactured in the UK, like every Insect-a-clear
- · Crisp, modern lines with a contemporary twist



Nano G30 Glue Board Fly Killer

Order cod	de Description	Coverage approx. sq.m	Lamps	Lamp code	Glue board	Size in cm W x H x D
FGN3SW	Nano G30 in white with shatter-resistant lamps	90-100	2 x 15w x 18"	LS15WS-0	MGNTR3	50 x 35 x 12
FGN3SS	Nano G30 in stainless with shatter-resistant lamps	90-100	2 x 15w x 18"	LS15WS-0	MGNTR3	50 x 35 x 12

Nano G72










Tools-free



- 5 year guarantee
- Tools-free servicing remove lamps and killing grid in under 15 seconds
- White or stainless steel
- Easy-to-clean vertical surfaces
- Suspended or wall mounted
- Lift and lock front guards allowing unrestricted access to serviceable parts
- Manufactured in the UK, like every Insect-a-clear
- Crisp, modern lines with a contemporary twist





Nano G72 Glue Board Fly Killer

Order code	Description	Coverage approx. sq.m	Lamps	Lamp code	Glue board	Size in cm W x H x D
FGN7SW	Nano G72 in white with shatter-resistant lamps	150-170	2 x 36w x 24"	LS36WS-S	MGNTR7	65 x 35 x 12
FGN7SS	Nano G72 in stainless with shatter-resistant lamps	150-170	2 x 36w x 24"	LS36WS-S	MGNTR7	65 x 35 x 12

VANQUISH



Vanquish

The Vanquish is a slim-line, discreet yet very efficient glue board fly killer

- Fitted with 2 x 36w high attraction, energy saver lamps
- Fully electronic lighting gear ensuring low power consumption and doesn't require separate starters.
- Uses super-sized glue-board of over 1,240cm² (complete with monitoring squares) protecting up to 360m²
- Anodized aluminium and steel construction looks good and offers excellent corrosion resistance



Energy Saver

Vanquish Glue Board Fly Killer

Order code	Description	Coverage approx. sq.m	Lamps	Lamp code	Glue board	Size in cm W x H x D
FGVWBA	Vanquish with standard lamps	360	2 x 36w	LL36WX-S	MGVTR2	41 x 47.5 x 7
FGVWSA	Vanquish with shatter-resistant lamp	360	2 x 36w	LL36WS-S	MGVTR2	41 x 47.5 x 7

Vulcan Range





The Vulcan is fully electronic, ensuring minimal power consumption. This means maximum financial savings when compared to similar conventional units.

- The curvaceous, contemporary design and the corrosion resistant, stainless steel front-guard, together have produced a terrific machine. It is ideal for virtually any application (front of house or behind the scenes).
- For maximum attraction the Vulcan is fitted with the Quantum Lamp by Sylvania.
- An IP65 rated unit completes the range
- Energy saving design

- Tools free servicing 'lift and lock' front guard
- 2 or 3 lamp versions
- Shatter resistant lamps fitted as standard
- Super-sized glue board with monitoring squares
- Uses the universal 15w 18" x 1" lamp











Energy Saver

Vulcan Range Glue Board Fly Killers

Order code	Description	Coverage approx. sq.m	Lamps	Lamp code	Glue board	Size in cm W x H x D
FGT2SS	Vulcan 2 with shatter-resistant lamps	80	2 x 15w x 18"	LS15QS-S	MGLTR3	59.5 x 35.5 x 10
FGT3SS	Vulcan 3 with shatter-resistant lamps	110	3 x 15w x 18"	LS15QS-S	MGLTR3	59.5 x 35.5 x 10
FGT4SS	Vulcan IP65 with shatter-resistant lamps	110	3 x 15w x 18"	LS15QS-S	MGLTR3	59.5 x 35.5 x 10





Fly Shield Range

The Fly-Shield Range offers probably one of the most popular, discreet, front of house choices, on the market

- Like other glue board machines in the Insecta-clear range these stainless steel machines attract and trap the flying insects on a UV stabilized glue board, without any annoying zap – but the Fly Shield range has been designed to look like a contemporary, stylish wall light
- They are ideally suited to restaurants, coffee shops, sandwich bars, when wall mounted in the case of the Fly Shield 1 and 2, but don't forget that the larger models namely the 2 and 4, are also ideal for larger areas when suspended, such as food factories or supermarkets





Fly Shield Range Glue Board Fly Killers

Order code	Description	Coverage approx.sq.m	Lamps	Lamp code	Glue board	Size in cm W x H x D
FG1CBS	Fly Shield One with standard lamp	35-90	1 x 18w	LL18WX-0	MG1TRA	34.5 x 25 x 11.5
FG1CSS	Fly Shield One with shatter-resistant lamp	35-90	1 x 18w	LL18WS-0	MG1TRA	34.5 x 25 x 11.5
FG2CBS	Fly Shield Two with standard lamps	70-180	2 x 18w	LL18WX-0	MG2TRA	58.5 x 25 x 14
FG2CSS	Fly Shield Two with shatter-resistant lamps	70-180	2 x 18w	LL18WS-0	MG2TRA	58.5 x 25 x 14
FG4SBS	Fly Shield Four with standard lamp	360	4 x 18w	LL18WX-0	MG2TRA	65 x 47 x 14
FG4SSS	Fly Shield Four with shatter-resistant lamps	360	4 x 18w	LL18WS-0	MG2TRA	65 x 47 x 14

Note: The Fly Shield Four requires 2 boards per change

Fly Shield Solo



The Solo and NEW Solo Plus have been specifically designed for discreet, stylish and effective insect control and is ideally suited not only for domestic use, but also for restaurants, reception areas, coffee shops, sandwich bars, to name but a few

- The Solo may be wall mounted or free standing whereas the Solo Plus with its 2 glue boards is a free standing unit.
- The main body is made from corrosion resistant, anodised aluminium, which not only means it is simple to clean but also makes it light and easily portable, if so desired.
- By combining its powerful 20w, energy saving Ultra Violet lamp with its large unobstructed glue board(s), our Insect-a-clear designers have come up with a truly effective unit.







Fly Shield Solo Glue Board Fly Killer

Order code	Description	Coverage approx.sq.m	Lamps	Lamp code	Glue Board	Size in cm W x H x D
FGS2BA	Fly Shield Solo with standard lamp	90	1 x 20w	LL20WX-W	MGSTR1-S	23 x 31 x 12.5
FGS2SA	Fly Shield Solo with shatter-resistant lamp	90	1 x 20w	LL20WS-W	MGSTR1-S	23 x 31 x 12.5
FGS3BA	Fly Shield Solo <i>Plus</i> with standard lamp	90	1 x 20w	LL20WX-W	MGSTR1-S	23 x 31 x 12.5
FGS3SA	Fly Shield Solo Plus with shatter-resistant la	mp 90	1 x 20w	LL20WS-W	MGSTR1-S	23 x 31 x 12.5





Fusion Range

The Fusion 2 and Fusion 4 models have many features that make maintenance quick and simple



- Stainless steel retaining plates simply lift open allowing the glue board to slide from its position and replacement glue boards to slide in just as easily
 - When it comes to changing the lamps, the front can be removed without the need for tools
- Most note-worthy is the unique 'throughboard' design, for maximum attraction. This allows the maximum UV light to be emitted, as the light can shine through the cut-outs in the glue board

The glue boards black colouring limits the visual effect of the entrapped flies



Fusion Range Glue Fly Killers


Order code	Description	Coverage approx.sq.m	Lamps	Lamp code	Gliue goard	Size in cm W x H x D
FGF2SW	FUSION2 in white with shatter-resistant lamps	100	2 x 18w	LL18WS-0	MGFTR2	51 x 38 x 9
FGF2SS	FUSION2 in stainless with shatter-resistant lamps	100	2 x 18w	LL18WS-0	MGFTR2	51 x 38 x 9
FGF4SW	FUSION4 in white with shatter-resistant lamps	280	4 x 18w	LL18WS-0	MGFTR4	66.5 x 38 x 13
FGF4SS	FUSION4 in stainless with shatter-resistant lamps	280	4 x 18w	LL18WS-0	MGFTR4	66.5 x 38 x 13

Glu60 & Glu90





The Glu60 is available in either stainless steel or epoxy powder coated white and is fitted with $2 \times 15 w$ shatter resistant lamps as standard



- It is water resistant to IP65, making it ideal for wet areas
- Supplied with all necessary fitments for wall mounting or suspending. Dust guards are also supplied (not shown)
- Now incorporates an electronic ballast which removes the need for starters and also allows for voltages 110v-240v

The Glu90 is manufactured in bright annealed stainless steel

- Unique two-tiered catchment system ideal for larger areas – up to 180m2
- Available either wall mounted or suspended and dust guards are provided with both models for dusty environments,
- The fold-up yellow glue trays can be fitted with stainless steel covers (see spares on page 30)



Glu60 IP65 Rated and Glu90 Glue Fly Killers

Order code	Description	Coverage approx.sq.m	Lamps	Lamp code	Glue board	Size in cm W x H x D
FG6CSW-D	Glu60 in white with shatter-resistant lamps	100	2 x 15w x 18"	LS15WS-W	MG6TRA-Y	51.5 x 23 x 15.5
FG6CSS-D	Glu60 in stainless with shatter-resistant lamps	100	2 x 15w x 18"	LS15WS-W	MG6TRA-Y	51.5 x 23 x 15.5
FG9WSS	Glu90 in stainless, wall mounted	180	2 x 20w x 24"	LS20WS-S	MG9TRA	63 x 38.5 x 27
FG9SSS	Glu90 in stainless, suspended	180	2 x 20w x 24"	LS20WS-S	MG9TRA	63 x 38.5 x 27

Note: The sizes shown are without the Dust Guards fitted





X-Fly Range

There are two models in the X-Fly Range, the X-Fly 1 and the X-Fly 2

- The perfect location for either model is on top of wall cupboards or high flat surfaces (such as kitchen cabinets, fridges, shelves, etc)
 - The units can be neatly sited behind cornice, or for kitchen cupboards without cornice,
- can be fitted flush to the cupboard edge the brushed stainless steel front being the only feature visible from ground level
- The glue board is easy to change by simply un-hooking the front stainless steel plate



X-Fly Range Glue Fly Killers

Order code	Description	Coverage approx.sq.m	Lamps	Lamp code	Glue board	Size in cm W x H x D
FGX1SS	X-Fly 1 with shatter-resistant lamp	70	1 x 18w	LL18WS-0	MGXTR1	40 x 10 x 27
FGX2SS	X-Fly 2 with shatter-resistant lamp	140	2 x 18w	LL18WS-0	MGXTR2	65 x 10 x 27

Fly Check





The Fly Check is made from stainless steel and is fitted with 2 x 15w lamps

• Its slim design makes it the ideal choice for food preparation areas – all for less than the cost of competitors' similar mild steel units!





Fly-Check Glue Fly Killer

Order code	Description	Coverage approx.sq.m	Lamps	Lamp code	Glue board	Size in cm W x H x D
FGC3SS	Fly Check with shatter-resistant	100	2 x 15w x 18"	LS15WS-W	MGCTR3	49 x 30.5 x 7






GLUE BOARD FLY KILLERS Wall Fly



The Insect-a-clear Wall Fly has been designed for areas such as restaurants, receptions, coffee shops or sandwich bars — in fact anywhere where discreet, stylish insect control is required

- Smooth curvaceous lines replace the harsh square corners of old
- It is fitted with an 18w energy saving lamp and large unobstructed glue board
- The chassis is constructed of bright annealed stainless steel with an option of shades in either powder coated white or satin finished stainless steel



Wall Fly Glue Board Fly Killer

Order code	Description	Coverage approx.sq.m	Lamps	Lamp code	Glue board	Size in cm W x H x D
FGW1SW	Wall Fly in white with shatter-resistant lamp	90	1 x 18w	LL18WS-0	MGWTR1	45 x 20 x 14
FGW1SS	Wall Fly in stainless with shatter-resistant lamp	90	1x 18w	LL18WS-0	MGWTR1	45 x 20 x 14

Protect-a-lite 8

So discreet it blends in with most environments.

Thats the NEW Protect-a-lite 8 that is ideal for home environments. Despite its size, it carries a punch, covering up to 18 sq metres. Using an 8 w UVA lamp, insects are trapped on the temperature optimised glue board which are hidden from view. Wall mounted or free standing, the Protect-lite 8 is easy to install and service and very safe to use. The obvious answer for those who want to hide their flies!





Protect-a-lite 8

Order code	Description	Lamps	Lamps code	Glue board	Size in cm H x Dia
FGP8BW	Protect-a-lite 8 with a standard lamp	1 x 8w tight U	LT08WX-W	MGPTR8	27.5 x 14

Brands WEMLITE SYLVANIA OSRAM Philips QUANTUM HI-BLUE

PEST CONTROL LAMPS

BL 368 Lamps For Fly Killers

Category	Watt	Brand	Size	Box Qty	Standard lamp	Shatter resista
			Straight lamps			
5 (5/8" diameter)						
(5/6 diameter)	4	WEMLITE	6" x 5/8" dia.	25	LS04WX-W	LS04WS-W
	4	PHILIPS	6" x 5/8" dia.	25	LS04WX-P	LS04WS-P
	6	WEMILITE	9" x 5/8" dia.	25	L506WX-W	LS06WS-W
	8	WEMLITE	12" x 5/8" dia.	25	L508WX-W	L508W5-W
	8		12" x 5/8" dia.	25	L508WX-W	L508W5-W
		OSRAM				
	8	SYLVANIA	12" x 5/8" dia.	25	L508WX-5	L508W5-5
	11	SYLVANIA	9" x 5/8" dia.	25	L511WX-5	L511WS-5
	14	QUANTUM	22" x 5/8" dia.	25		L516Q5-5
	15	WEMILITE	12" x 5/8" dia.	25	LS14WX-W	LS14WS-W
(1" diameter)						
	10	WEMILITE	13 ½" x 1" dia.	25	LS10WX-W	LS10WS-W
	15	WEMILITE	18" x 1" dia.	25	LS15WX-W	L515W5-W
	15	HI-BLUE	18" x 1" dia.	25	LS15WX-H	LS15WS-H
	15	OSRAM	18" x 1" dia.	25	L515WX-0	L515WS-0
	15	PHILIPS (MASTER)	18" x 1" dia.	25	LS15MX-P	LS15MS-P
	15	SYLVANIA	18" x 1" dia.	25	LS15WX-5	LS15WS-5
	15			25		
-		QUANTUM	18" x 1" dia.		LS15QX-S	LS15QS-5
	18	OSRAM	24" x 1" dia.	25	L518WX-0	L518W5-0
	18	PHILIPS	24" x 1" dia.	25	L518WX-P	L518WS-P
	18	PHILIPS (MASTER)	24" x 1" dia.	25	LS18MX-P	LS18MS-P
	25	QUANTUM	18" x 1" dia.	25	L525QX-5	L525Q5-5
	30	PHILIPS	18" x 1" dia.	25	L530WX-P	LS30WS-P
	36	SYLVANIA	24" x 1" dia.	25	L536WX-5	L536WS-5
	36	PHILIPS	24" x 1" dia.	25	L536WX-P	L536WS-P
2 (1 ½" diameter)						
- 4	20	SYLVANIA	24" x 1 ½" dia.	25	LS20WX-S	LS20WS-S
	20	GUANTUM	24" x 1 1/2" dia.	25	L520QX-5	L520Q5-5
	40	SYLVANIA	24" x 1 1/2" dia.	25	L540WX-5	L540W5-5
	40	QUANTUM	24" x 1 ½" dia.	25	L540QX-5	L540Q5-5
	40	SYLVANIA	48" x 1 ½" dia.	25	L539WX-5	L539WS-5
			Tight U lamps			
			right o lamps			
14.	6/8	WEMLITE	5 3/4" x 1 5/8"	20	LT08WX-W	LT08WS-W
	10	WEMILITE	7 ½" x 2 ¼"	20	LT10WX-W	LT10W5-W
	15	WEMLITE	7 ½" x 2 ¼"	20	LT15WX-W	LT15WS-W
All let	25	WEMLITE	9 ½" x 2 ¼"	20	LT25WX-W	LT25W5-W
35	30	WEMLITE	7 ½" x 2 ¼"	20	LT30WX-W	n/a
	40	ALCOHOL DE LOCALISTO	12" x 2 1/4"	20		
	40	WEMLITE	14 44	20	LT40WX-W	LT40WS-W
			Circline lamps			
	22	WEMILITE	8" dia.	12	LC22WX-W	LC22WS-W
	22	SYLVANIA	8" dia.	12	LC22WX-5	n/a
			Lynx 2 pin lamps			
526	9	PHILIPS	6 ½" x 1 ¼" dia.	20	LL09WX-P	LL09WS-P
Acti	11	WENILITE	9 1/4" x 1 1/4" dia.	20	LL11WX-W	LL11WS-W
	11	OSRAM	9 1/4" x 1 1/4" dia.	20	LL11WX-O	LL11W5-0
	11	PHILIPS	9 1/4" x 1 1/4" dia.	20	LL11WX-P	LL11WS-P
	11	SYLVANIA	9 1/4" x 1 1/4" dia.	20	LL11WX-F	LL11WS-S
		- ILIAMA	V /4 /4 1 /4 UIG.	20	CCTTMV-3	CCIIW3-3

PEST CONTROL LAMPS

BL 368 Lamps For Fly Killers


Makes
WEMLITE SYLVANIA OSRAM
Philips QUANTUM

Category	Watt	Brand	Size	Box Qty	Standard lamp	Shatter resistant
		Lynx 4 p	oin lamps (pins in stra	ight line)		
*	18	OSRAM	8 3/4" x 1 3/4" 4 pin	20	LL18WX-0	LL18W5-0
	18	PHILIPS	8 3/4" x 1 3/4" 4 pin	20	LL18WX-P	LL18W5-P
	18	SYLVANIA	8 3/4" x 1 3/4" 4 pin	20	LL18WX-5	LL18W5-5
222	36	WEMLITE	16" x 1 3/4" 4 pin	20	LL36WX-W	LL36W5-W
111	36	PHILIPS	16" x 1 3/4" 4 pin	20	LL36WX-P	LL36WS-P
	36	SYLVANIA	16" x 1 3/4" 4 pin	20	LL36WX-5	LL36WS-5
		Lynx 2 pin &	Lynx 4 pin lamps (pir	s in corner	s)	
	13	QUANTUM	5" x 1 %" 4 pin	20	LL13QX-5	LL13Q5-5
-//	26	Illume	6 %" x 1 %" 2 pin	20	LL26WX-S	LL26WS-5
			Screw Cap lamps			
-0	20	WEMILITE	7 x 1 ½" E27 screw	20	LL20WX-W	LL20WS-W
/ n						

UVC Lamps for Ponds etc




Meat Enhancement Lamps



PEST CONTROL


Replacement Glue Boards




PEST CONTROL

Fly Trays & Check-a-note

Insect-a-clear




Order Description code MCBTXS Cluster Box In stainless steel for: T35, T65, T100, T160 and Nano 30 The cluster box will fit the following models: T35, T65, T100, T160 and Nano 30






MSFTXS Extension tray

Small: 38 x 54.5 x 4.5cm



MLFTXS Extension tray
Large: 38 x 78 x 4.5cm



MGLUCO GLU-90 covers


Stainless covers for the GLU-90 trays

Check-a-note

Made of steel, the Check-a-note uses a BLB lamp to help detect fake bank notes. Simply place the suspect note under the lamp and if the paper glows, it is probably an imitation. Normal UK bank notes remain matt.








Terms and Conditions

- 1 All quotations, offers and contracts are subject to the following terms and conditions (Conditions). The Company means Bower Products Limited t/a The UV Light Company and the Buyer means any purchaser of goods (Goods) in accordance with these Conditions. By placing an order with the Company the Buyer makes an offer to purchase Goods in accordance with these Conditions. The order is subject to acceptance by the Company by confirmation in writing or by dispatch of the Goods (whichever is sooner), at which stage a contract is formed. Only the parties to the contract may seek to enforce these Conditions.
- 2 There shall be no variations to these Conditions (whether contained in any order form from the Buyer, whether implied by trade, custom, course of dealing or otherwise) unless written agreement has been obtained from the Company.
- 3 The price of the Goods shall be the quoted price, or where no price has been quoted, will be that listed in the current price list on the date of formation of the contract. All prices are quoted exclusive of VAT which will be charged at the rate ruling on the day of dispatch.
- 4 The Company reserves the right to refuse to accept an order for purchase of Goods if the Buyer's credit or payment record is unsatisfactory, unless payment is made in full before dispatch.
- 5 Where a Buyer has an approved account with the Company (at its sole discretion), full payment (without deduction or set off) is due by the end of the month following the invoice date. No cash discounts are allowed. Where no such credit terms apply, Goods are subject to payment in full before dispatch, unless otherwise agreed in writing by the Company.
- 6 If the Buyer fails to make any payment on the due date, the Company reserves the right to: (i) charge the Buyer interest on the overdue amount at a rate of 4% per annum above the Bank of England's base rate from time to time (accruing daily from the due date until actual payment, whether before or after any judgment); and/or (ii) to suspend all deliveries of Goods until payment has been made in full.
- 7 The Goods shall remain the property of the Company until paid for in full and, until title of the Goods has passed to the Buyer, the Buyer shall hold the Goods on a fiduciary basis as the Company's bailee. The Company reserves the right to resume possession, including entering the premises where the Goods are located, without prior notice.
- 8 The risk in the Goods will pass on completion of delivery to the Buyer irrespective of whether title has passed or not.
- 9 Clerical errors and omissions are subject to correction without notice
- 10 Goods dispatched may not be returned by the Buyer unless the Goods are faulty or with the prior written agreement of the Company. Where the Buyer has incorrectly ordered Goods and the Company has agreed that they may be returned, the Company reserve the right to charge a 15% handling charge to cover clerical and other expenses. All Goods must be properly packaged, labelled correctly, and returned to the Company, carriage paid. The Goods shall be at the Buyer's risk during transit and any damage during transit of returned Goods shall be the responsibility of the Buyer.

- 11 Every effort will be made to keep to quoted delivery dates (including 'next day' deliveries) but the Company will not be liable for any delays or any additional costs how so ever caused and time shall not be of the essence. Every delivery shall be considered as a separate contract, and the failure of any delivery shall not vitiate the contract as to the other deliveries.
- 12 No responsibility can be accepted for damage or shortages unless the Goods are signed for as such on the delivery sheet(s). In all cases, damaged or shortages must be notified to the Company in writing within 24 hours of delivery.
- 13 The Company reserves the right to amend prices without prior notice.
- 14 All Goods are sold with the benefit of any manufacturer's warranty (excluding lamps, starters and glue boards), details of which vary between Goods, which the Company shall use its best endeavours to transfer to the Buyer (including in respect of any parts and components, if relevant). Should any Goods prove to be defective within the relevant warranty period, the Buyer should return them to the Company for repair, replacement or credit, as the Company or any third party manufacturer deems fit (provided that the Buyer has complied with all terms of any relevant warranty). Removal, return and installation costs of any item shall be borne by the Buyer.
- 15 All sleeved lamps sold by the Company are classified as shatter resistant i.e. to reduce the risk of cap detachment and/or ejection of glass fragments in the event of breakage.
- 16 Nothing in these Conditions shall limit or exclude the Company's liability for death or personal injury caused by its negligence, for fraud or for any other matter where it would be unlawful for the Company to limit or exclude its liability.
- 17 Subject to the above Condition, the Company shall in no circumstances whatever be liable to the Buyer (whether in contract, tort (including negligence), breach of statutory duty or otherwise) for any loss of profit or for any indirect or consequential loss and the Company's total liability to the Buyer shall in no circumstances exceed the price of the Goods.
- 18 These Conditions supersede any terms supplied by the Buyer and supersede all prior terms and conditions supplied by the Company, unless agreed by it in writing.
- 19 A waiver of any right or remedy by the Company is only effective if given in writing and shall not be deemed a waiver of any subsequent breach or default.
- 20 If any court or competent authority finds that any provision of these Conditions is invalid, illegal or unenforceable, the relevant provision shall be deemed to be deleted and the remaining provisions shall not be affected. If any invalid, illegal or unenforceable provision can be rectified by deletion, the provision shall apply with the minimum modification necessary to make it legal, valid and enforceable.
- 21 These Conditions and/or any contract subsisting between the Company and the Buyer shall be governed and construed in all respects in accordance with the laws of England and the parties submit to the exclusive jurisdiction of the English courts.



Bower Products Limited

sales@bower.co.uk www.bower.co.uk

Tel +44 (0) 20 8903 0983 Fax +44 (0) 20 8903 1592

Unit 31 Abbey Industrial Estate, Woodside End, Wembley, Middlesex HAO 1ZD