



The Storage  
& Handling Experts

Trust Craven to Deliver



[www.craven-solutions.com](http://www.craven-solutions.com)

**FREE**  
Consultancy  
& Design

selected  
products  
**available**  
now



## **NEW easy to use simplified Shelving Guide**

- ✓ 3 tier units
- ✓ 4 tier units
- ✓ Bespoke high density solutions
- ✓ Range of finishes available
- ✓ Extensive accessories range
- ✓ Complete price matrix for each product type



## Browse our full product range online

Scan the QR code with your smartphone to take you straight to the Craven website and view our extensive product range.

Please note, prices shown are list. If you are a distributor, contact us now for discount information.



1,000's  
of products  
online!



**Call 01423 796 200 and speak to our Craven Sales Team or create a shopping list enquiry on our website. You can also sign up for our newsletter to take advantage of our exclusive deals.**

to place an order or get a quotation

call 01423 796 200 or email [sales@craven-solutions.com](mailto:sales@craven-solutions.com)

## Welcome to the Craven Shelving Brochure

In here you'll find a host of ready to use and bespoke shelving solutions to make sure your Craven shelving works for you and your work environment.

### Contents

<b>Why choose Craven for your shelving solutions?</b>	03
<b>Customisation</b>	
Nylon Infill Shelving	05
Three Sided Based Frames	06
Drip Tray Shelving	07
Nylon Coated Drip Tray Shelving Systems	07
Single Shelf and Complete Enclosure Kits Post Hinged	08
<b>Firmashelf 5000</b>	09
<b>Firmatrack</b>	
High Density Firmatrack	12
Mechanical and Manual Track Dense Storage System	12
<b>Additional solutions for your business</b>	
Wire Mesh Lockers	13
Multi Compartment Lockers	13
Pigeon Hole Style Wine Racks	14
<b>Firmashelf 4000</b>	15
<b>Aluminium Shelving</b>	16
<b>Accessories to make your shelving work for you</b>	18
<b>Important information to help you choose</b>	
Handy details on weight loading, standard post heights and material uses	21
<b>About your order</b>	23

### How to order

1. Pick the product code – e.g. 3ZIM (3 tier Zinc Chromate)
2. Add the length and the width required to the end – e.g. 3ZIM600-300  
(Zinc Chromate 600 long by 300 wide)

We also offer an online shopping list system to help with ordering – simply add the items you want and when you are done click 'Submit Enquiry'

Please visit [www.craven-solutions.com](http://www.craven-solutions.com)

## Why Craven?

Why choose Craven for your shelving solutions?

### ✓ Buy British

Craven & Co. Ltd was founded in 1958 to fulfil the storage and handling needs of the local community, we are proud of our British heritage and to service our clients from our Yorkshire base.

### ✓ Dedicated to Product Quality

At Craven we strive to offer the very best shelving there is. To deliver on this we follow a continuous improvement programme, which means when you buy Craven you buy quality every time.

### ✓ It's quick and easy

We have an extensive number of products that can be dispatched quickly and hassle free so your shelving solutions can be with you within 3 to 5 working days.

### ✓ FREE Shelving Consultancy

Craven offers a free shelving consultancy service which provides you with the most economically priced solution to meet your customer's exact requirements, with free site survey and design service where required.

### ✓ Installation Plans

We offer a free planning service for shelving installations to fit specific dimensions of rooms or storage areas and can provide layout plans with quotations to illustrate our proposals for customised installations.

### ✓ Guarantee

You can buy Craven with confidence as all Craven products carry a twelve-month guarantee as standard, with an extended 3 year guarantee if you register your details on our website. In addition we offer an extended lifetime guarantee.

Registration of guarantee is available on our website  
[www.craven-solutions.com](http://www.craven-solutions.com)

\*Delivery costs and times based on UK mainland only from receipt of confirmed order. Deliveries to Highlands and Islands may incur additional costs and may take longer to deliver. Deliveries to the UK mainland are free on orders over £150 ex VAT. Orders less than £150 are charged at £15+VAT.



**“The best  
high density  
track storage  
system in  
the UK”**

to place an order or get a quotation

call 01423 796 200 or email [sales@craven-solutions.com](mailto:sales@craven-solutions.com)

## Customisations

Ensuring your storage and shelving works for you and your work place.

### Nylon Infill Shelving

(product code NYM INFILL)

The ultimate in flexible shelving, our nylon infill system has the key advantages of aluminium shelving at a more economical price.

**How to order:** simply add [Tier number] [NYM] followed by [length] [width] you require plus [INFILL] (e.g. 4NYM1200-400 INFILL).

#### Why Choose...

- Removable panels for ease of cleaning and storage of tall items
- Fantastic weight loading
- Shelf top wires which run from front to back for ease of storage
- Shelves are not fixed
- Retains infinitely adjustable shelf heights
- Panels can be individually removed whilst not affecting the shelf's loading capacity
- Panels can be washed through most standard catering dishwashers



Nylon Infill Shelving (NYM)			
Width → Length ↓		400mm	500mm
3 Tier	900mm	£175.00	£187.00
	1200mm	£203.00	£216.00
	1500mm	£228.00	£241.00
4 Tier	900mm	£223.00	£240.00
	1200mm	£261.00	£278.00
	1500mm	£294.00	£311.00
Single Shelf	900mm	£49.00	£53.00
	1200mm	£58.00	£62.00
	1500mm	£67.00	£71.00

Just need a single shelf?  
Simply add [FNSM] followed by [length] [width] you require plus [INFILL] (e.g. FNSM1200-400 INFILL).

This shelving is available in specific sizes only.

## Three Sided Base Frames

Three sided base frames provide stability where under shelf storage is required, or where the lowest shelf position is required to be higher than 150mm. Base frames enable knee hole space for workstations and create voids for trolley storage.

### Finishes:

- Zinc Chromate – (FFRZM)
- Nylon – (FFRNM)
- Stainless Steel – (FFRSM)




Three Sided Base Frame				
Nylon Coated (FFRNM)				
Width → Length ↓	300mm	400mm	500mm	600mm
600mm	£26.00	£26.00	£30.00	£31.00
800mm	£28.00	£28.00	£31.00	£32.00
900mm	£28.00	£29.00	£32.00	£35.00
1000mm	£30.00	£30.00	£33.00	£37.00
1100mm	£30.00	£30.00	£35.00	£39.00
1200mm	£32.00	£32.00	£35.00	£40.00
1300mm	£34.00	£36.00	£38.00	£41.00
1500mm	£36.00	£37.00	£40.00	£41.00
1800mm	£40.00	£42.00	£46.00	£50.00
Stainless Steel (FFRSM)				
Width → Length ↓	300mm	400mm	500mm	600mm
600mm	£50.00	£51.00	£54.00	£56.00
800mm	£51.00	£53.00	£56.00	£58.00
900mm	£53.00	£54.00	£58.00	£59.00
1000mm	£54.00	£56.00	£59.00	£61.00
1100mm	£57.00	£58.00	£62.00	£63.00
1200mm	£58.00	£60.00	£63.00	£66.00
1300mm	£61.00	£63.00	£63.00	£69.00
1500mm	£64.00	£67.00	£70.00	£72.00
1800mm	£71.00	£72.00	£75.00	£78.00
Zinc Chromate (FFRZM)				
Width → Length ↓	300mm	400mm	500mm	600mm
600mm	£21.00	£23.00	£24.00	£26.00
800mm	£23.00	£24.00	£26.00	£27.00
900mm	£23.00	£24.00	£27.00	£28.00
1000mm	£24.00	£26.00	£28.00	£28.00
1100mm	£24.00	£27.00	£29.00	£30.00
1200mm	£27.00	£29.00	£30.00	£31.00
1300mm	£29.00	£30.00	£32.00	£33.00
1500mm	£30.00	£31.00	£33.00	£34.00
1800mm	£33.00	£34.00	£37.00	£38.00

**How to order:** simply add **[finish]** followed by **[length]** **[width]** you require (e.g. FFRZM 1200-400).

to place an order or get a quotation

call 01423 796 200 or email [sales@craven-solutions.com](mailto:sales@craven-solutions.com)



## Why Choose...

- Designed to minimise food spoiling during storage and prevent spillage on floors
- Other applications include air drying of pots and crockery whilst preventing excess water on floors or between levels
- Minimises cross contamination



## Drip Tray Shelving (product code DCT)

Always keen to understand and respond to specific customers, we have developed this shelving innovation with top chefs.

## Nylon Coated Drip Tray Shelving System

Bottom level shelves prevent drips on floors and save cleaning time under units. The system can also be used for pot wash drying areas, providing a continual air flow not associated with solid shelving, whilst preventing wet floors and drips between levels.

Shelving units can be ordered in any configuration dependent on the requirement; it can be hard fixed at source or fitted as an attachable unit.

### Uses:

Fridge, freezer or dry storage, glass crockery and pot washing.

Also available as an under slung basket. For details contact your Craven sales team

Drip Tray Shelving (DCT)			
Width → Length ↓		400mm	600mm
Attachable	300mm	£46.00	£67.00
	400mm	£59.00	£89.00
	500mm	£74.00	£109.00
Individual	900mm	£130.00	£176.00
	1200mm	£167.00	£245.00
	1500mm	£209.00	£297.00

**How to order:** simply add [length] [width] followed by [DCT] (e.g. 300-600 DCT).

## Single Shelf (product code FPSD)

## Complete Enclosure Kits Post Hinged (product code FEKZM)

A must for every bar, restaurant or business that demands secure storage, enclosure kits enable secure storage of products including wine and spirits.

Designed to fit either solid or wire shelving.

Panels and doors for complete Firmashelf units have 1700mm posts.

Please note: Prices do not include shelves, posts/uprights or castors.



Single Enclosure Kits (FPSD)	
Zinc (Z) & Nylon (N)	
Height → Length ↓	413mm
900mm – 600mm	£189.00
1200mm – 600mm	£200.00
1500mm – 600mm	£226.00
Stainless Steel (FPSDS)	
Height → Length ↓	413mm
900mm – 600mm	£419.00
1200mm – 600mm	£433.00
1500mm – 600mm	£487.00

### Finishes:

- Zinc Chromate
- Nylon
- Stainless Steel

### How to order:

simply add **[FPSD]** **[finish]** followed by the **[length]** you require (e.g. FPSDZ1200-600).



Complete Enclosure Kits (FEK)			
Width → Length ↓	Zinc Chromate (ZM)		
	800mm	1200mm	1500mm
Static			
600mm	£419.00	£487.00	£571.00
Mobile			
600mm	£433.00	£503.00	£593.00
Width → Length ↓	Silver Grey Nylon (NM)		
	800mm	1200mm	1500mm
Static			
600mm	£443.00	£516.00	£607.00
Mobile			
600mm	£458.00	£535.00	£630.00
Width → Length ↓	Stainless Steel (SM)		
	800mm	1200mm	1500mm
Static			
600mm	£858.00	£1,252.00	£1,468.00
Mobile			
600mm	£1,077.00	£1,308.00	£1,525.00

**How to order:** simply add **[FEK]** **[finish]** **[length]** **[600]** followed by **[S]** or **[M]** for static or mobile depending on what you require (e.g. FEKZM1200-600/M).



**Don't forget to look at page 19 for Castors**



to place an order or get a quotation

call 01423 796 200 or email [sales@craven-solutions.com](mailto:sales@craven-solutions.com)

## Firmashelf 5000

Firmashelf can be used in a variety of conditions and can be supplied in a range of finishes to suit your requirements. Some of these solutions come with removable infill panels which make it easier to clean and store taller items, all have fantastic weight bearing capacity.

The open nature of the wire option makes it an ideal solution where air flow is important for cooling or drying. Solid style shelving is also perfectly suited for storing larger items.

**Tier options:**

**3 tier bays**

**4 tier bays**

**Single shelves**


### Uses for the Firmashelf 5000:

General Catering Storage, Dry Storage, Freezers, Retail Displays, Refrigeration, Linen Rooms

### Available in the following finishes:

#### **Zinc chromate** (quote code: ZIM)

General Catering Storage, Dry Storage, Retail Displays  
Not suitable for fridge or freezer use



#### **Nylon coated** (quote code: NYM)

General Catering Storage, Refrigeration, Freezers, Retail Displays



#### **Stainless steel – Natural finish** (quote code: SWM)

General Catering Storage, Refrigeration, Freezers



#### **Stainless steel solid – Satin finished** (quote code: SSM)

General Catering Storage, Refrigeration, Freezers



#### **Epoxy coated** (quote code: SEM)

Linen Rooms, Dry Storage



Please see page 11 for price information

## Firmashelf 5000

Great deals for bulk orders and project work!



Nylon

This unit can hold up to 10 shelves!

Product illustrated: Zinc Chromate in 4 tier option

To customise this shelving solution see pages 5-7



### High Density Firmatrack

High Density Firmatrack is the ideal solution to ensure maximum density of storage in catering environments where space is an issue. All shelving finishes are available.

### Mechanical or Manual Track Dense Storage System

With all the advantages of the High Density Firmatrack, the mechanical track system is designed for areas where larger load capacities are required. The shelving and crank system has been designed to ensure maximum stability and smooth movement, allowing ease of use when storing or retrieving stocked items.



As most track systems are tailored to your specific requirements, please call 01423 796 200 for a free site survey and to arrange a meeting so that we can provide a quotation accompanied with a plan view layout.

**Firmatrack:** Call Craven for free planning and site survey.

Can provide up to **80%** more storage capacity

### Why Choose...

- Surface mounted track suitable for most floor finishes
- Mobile and static plinths can house multiples of shelving i.e. side-by-side and back-to-back
- Any of our shelving finishes can be used with this system
- 12 months guarantee as standard, extendable with a maintenance contract
- Mobile bays carry 1000kg (subject to floor type)
- All track and shelving is assembled by a Craven representative
- Each mobile base has a brake mechanism as standard
- This system can be adapted for uneven surfaces
- Excellent for good inventory control, process flow optimisation, safe loading weights and stock rotation

From design to reality



to place an order or get a quotation

call 01423 796 200 or email [sales@craven-solutions.com](mailto:sales@craven-solutions.com)

## Wire Mesh Lockers

Single and double compartment lockers are fitted with coat hooks and 3 point locking.



Painted finish as standard. A galvanised option is available. Please call the Craven Sales Team for a price.

**How to order:** simply add **[CML]** followed by **[No of compartments]** and the **[depth]** Add **[D]** if you require doors (e.g. CML – 12/305D).

We offer a bespoke service if you do not see the size you require

## Multi Compartment Lockers

(product code CML)

Our multi compartment lockers are an ideal solution for multiple storage of smaller, personal items.

- Available in 12 or 20 compartments, with or without doors
- Also available in a number of compartment configurations

Freestanding Wire Mesh Lockers (CML)		
1680mm height	12 Compartments	20 Compartments
Width → Length ↓	305mm	305mm
With doors (D)		
305mm	£451.00	£696.00
457mm	£499.00	£767.00
Without doors		
305mm	£264.00	£387.00
457mm	£313.00	£457.00

## Why Choose...

- Craven wire mesh lockers fit most applications and pen design allows visibility of contents
- All wire mesh lockers supplied with 150mm legs fitted as standard. This enables ground protection and easy access for cleaning
- Manufactured from 25mm x 25mm x 25mm weld mesh on a 8mm rod frame, doors are fitted with a hasp and staple for use with padlocks (padlocks not supplied)

## Pigeon Hole Style Wine Racks (product code WRSGN)

Craven wine shelving offers a great storage solution to suit the needs of all types of all hospitality establishments. Practical and reliable solutions come in a variety of sizes, ideal for back of house environments.

Alternatively, for front of house we offer our free standing Pigeon Hole Style Wine Racks to add an attractive and elegant touch.

Our pigeon hole racks are free standing units, finished in silver grey nylon, other finishes are available upon request. They are fitted with key hole plates to secure to the back wall and are designed as vertical units, although horizontal ones can be manufactured as a bespoke requirement.

Pigeon Hole Style Wine Racks (WRSGN)						
Width → Length ↓	3 bottles 310mm	4 bottles 410mm	5 bottles 510mm	6 bottles 610mm	7 bottles 710mm	8 bottles 810mm
6 bottles – 660mm	£208.00	£235.00	£270.00	£243.00	£293.00	£313.00
7 bottles – 760mm	£213.00	£240.00	£278.00	£270.00	£313.00	£334.00
8 bottles – 860mm	£235.00	£256.00	£286.00	£304.00	£334.00	£359.00
9 bottles – 960mm	£240.00	£270.00	£298.00	£324.00	£353.00	£378.00
10 bottles – 1070mm	£250.00	£278.00	£313.00	£347.00	£378.00	£404.00
11 bottles – 1170mm	£267.00	£286.00	£320.00	£359.00	£398.00	£431.00
12 bottles – 1270mm	£270.00	£293.00	£328.00	£372.00	£411.00	£438.00
13 bottles – 1370mm	£271.00	£298.00	£334.00	£377.00	£418.00	£450.00
14 bottles – 1470mm	£272.00	£304.00	£347.00	£383.00	£423.00	£457.00
15 bottles – 1570mm	£303.00	£247.00	£285.00	£431.00	£276.00	£522.00

**How to order:** simply add **[WRSGN]** followed by bottles required and **[length] [width]** you require (e.g. WRSGN3/6 = unit 310mm x 660mm).



We offer  
bespoke  
solutions to  
individual  
needs

to place an order or get a quotation

call 01423 796 200 or email [sales@craven-solutions.com](mailto:sales@craven-solutions.com)

## Firmashelf 4000

This bright chrome finish of the Firmashelf 4000 shelving range enables it to be utilised as an attractive front of house product display system. The strength, stability and longevity of this system ensures that it is suitable for back of house dry storage.

**Chrome** (product code: CHM)


General Catering Storage, Storage, Retail Displays



FIRMASHELF 4000		Chrome (CHM)		
Width →	Length ↓	400mm	450mm	600mm
3 Tier		600mm	£69.00	£82.00
	750mm	£79.00	£92.00	£98.00
	900mm	£92.00	£98.00	£117.00
	1050mm	£98.00	£101.00	£134.00
	1200mm	£104.00	£117.00	£137.00
	1500mm	£117.00	£146.00	£171.00
	1800mm	£146.00	£165.00	£210.00
4 Tier	600mm	£82.00	£99.00	£107.00
	750mm	£95.00	£112.00	£120.00
	900mm	£112.00	£120.00	£146.00
	1050mm	£120.00	£124.00	£167.00
	1200mm	£129.00	£146.00	£171.00
	1500mm	£146.00	£185.00	£219.00
	1800mm	£185.00	£210.00	£270.00
Single Shelf	600mm	£14.00	£18.00	£20.00
	750mm	£17.00	£21.00	£24.00
	900mm	£21.00	£24.00	£30.00
	1050mm	£24.00	£25.00	£35.00
	1200mm	£26.00	£30.00	£36.00
	1500mm	£30.00	£39.00	£48.00
	1800mm	£39.00	£46.00	£60.00



How to order: simply add [Tier Number] [CHM] followed by [length] [width] you require (e.g. 3CHM900-450).



Perfect  
for front of  
house and  
retail display

## Aluminium Shelving (product code CA2)

Aluminium shelving is assembled differently to our standard Firmashelf as the uprights combine to allow for continuous runs.



### Why Choose...


- Removable and washable infill panels
- Light weight anodised frame
- Modular construction and can be used in a variety of environments
- Suitable for cold rooms and food areas and sterile storage areas
- Stainless steel and nylon coated infills available on request
- Castors can be added if required – See page 19 for Castors



to place an order or get a quotation

call 01423 796 200 or email [sales@craven-solutions.com](mailto:sales@craven-solutions.com)

Aluminium Shelving (CA2)				
Width → Length ↓	Overall Length mm	400mm	500mm	600mm
Initial Basic Bays	746mm	£282.00	£298.00	£324.00
	970mm	£315.00	£337.00	£362.00
	1089mm	£337.00	£358.00	£397.00
	1201mm	£354.00	£375.00	£436.00
	1313mm	£371.00	£397.00	£453.00
	1425mm	£393.00	£414.00	£457.00
	1653mm	£431.00	£457.00	£522.00
Additional 716 run	1462mm	£495.00	£513.00	£542.00
	1686mm	£528.00	£552.00	£580.00
	1805mm	£550.00	£573.00	£614.00
	1917mm	£567.00	£591.00	£653.00
	2029mm	£584.00	£612.00	£670.00
	2141mm	£606.00	£629.00	£674.00
	2369mm	£645.00	£676.00	£730.00
Additional 940 run	1910mm	£563.00	£586.00	£614.00
	2253mm	£618.00	£647.00	£704.00
	2365mm	£640.00	£663.00	£709.00
	2593mm	£678.00	£711.00	£764.00
Additional 1059 run	2148mm	£606.00	£629.00	£670.00
	2260mm	£623.00	£647.00	£709.00
	2372mm	£640.00	£668.00	£725.00
	2484mm	£661.00	£684.00	£730.00
	2712mm	£700.00	£732.00	£785.00
Additional 1171 run	2596mm	£678.00	£702.00	£747.00
	2824mm	£717.00	£749.00	£803.00
Additional 1283 run	2708mm	£696.00	£719.00	£764.00
	2936mm	£734.00	£766.00	£820.00
Additional 1395 run	2820mm	£717.00	£741.00	£785.00
	3048mm	£756.00	£787.00	£842.00
Additional 1623 run	3276mm	£795.00	£826.00	£880.00



**How to order:** simply add [Tier Number] [CA2] followed by [length] [width] you require (e.g. 4CA2/746-400).

## Accessories

Make your shelving work for you with these smart additions...


### Posts

Order with either smooth, infinitely adjustable post and gripper system or grooved fixed post system. For grooved posts add GR to the end.

**Finishes:** grooved, smooth

**How to order grooved posts:** simply add **[FZCGR]** followed by the **[length]** you require (e.g. FZCGR1200) All fitted with adjustable feet and plastic caps.


**How to order smooth posts:** simply add **[FZC]** followed by the **[length]** you require (e.g. FZC950). All fitted with adjustable bolt feet and plastic caps unless glide feet requested.



We cut to size – any size available upon request

Grooved Posts (FZCGR)				
Zinc Posts	950mm	1200mm	1500mm	1700mm
	£7.00	£7.00	£8.00	£8.00

Smooth Posts							
Zinc Posts	FZC 337	FZC 675	FZC 1175	FZC 1375	FZC 1675	FZC 1875	FZC 2075
	£5.00	£5.00	£7.00	£8.00	£8.00	£9.00	£10.00
Stainless Steel	FSS 337	FSS 675	FSS 1175	FSS 1375	FSS 1675	FSS 1875	FSS 2075
	£17.00	£19.00	£27.00	£29.00	£31.00	£33.00	£38.00



### Glide Feet

Reduces friction for easier movement of units, spreads the load to reduce indentation on flooring and can be adjusted for uneven flooring.

**To order:** simply quote the product code.

Glide Feet (FGF)	
Individual	FGF
	£3.00



### Post Clamps

Provide extra stability through clamping the posts together in a row or configuration of shelving, useful when large amounts of shelving are being used together.

**To order:** simply quote the product code.

Post Clamps	
Zinc (FPC)	FPC
	£7.00
Stainless Steel (FSPC)	FSPC
	£10.00



Castors

## Castors

Fitting castors to your Firmashelf unit enables easier movement and in turn allows for easier cleaning in areas such as dry stores, which would normally prove a problem. Alternatively, you can fit glide feet.

When castors are fitted the overall height is increased by 130mm. The overall dimensions over the castor housings are 20mm greater than the units overall size. See weight loading on page 21.

Castors 100mm (CASZ)			
With Brake	CASZ/BR4	Without Brake	CASZ4
			£11.00

**To order:** simply quote the product code.

Please note: Castors are priced individually. Typically a bay of shelving uses 2 swivel and 2 braked castors.



Shelf hooks

## Shelf Hooks


For both wire and solid shelving, shelf hooks eliminate the need for corner posts allowing improved access to products. Can also be used to save costs where weight loading can be reduced.

**Finishes:**

- Zinc
- Stainless Steel

Shelf Hooks (Pair)	
Zinc	<b>FSH 100</b>
	£6.00
Stainless Steel Wire	<b>FSSH 100</b>
	£8.00
Stainless Steel Solid	<b>FSSC</b>
	£10.00

**To order:** simply quote the product code.



Wall brackets

## Wall Brackets

Attach and support the complete shelving system to the wall. These are particularly useful when the shelving is heavily loaded.

## Moulded Wall Fixing Brackets

Attach and support the complete shelving system to the wall. These are particularly useful when the shelving will be heavily loaded.

Wall Fixing (FWFB)	
Moulded Upright	<b>FWFB</b>
	£3.00
Metal Upright	<b>FWFB/M</b>
	£6.00

**To order:** simply quote the product code.

## Guard Rails

Prevent the problem of storing products that have the chance of falling from the racking. Guard rails easily attach and detach to enable the storage or removal of products.

Guard Rail (FG)			
Width → Length ↓	Nylon (NM)	Stainless Steel (SM)	Zinc Chromate (ZM)
300mm	£12.00	£28.00	£12.00
400mm	£12.00	£29.00	£12.00
500mm	£13.00	£30.00	£12.00
600mm	£14.00	£32.00	£14.00
800mm	£14.00	£34.00	£14.00
900mm	£16.00	£35.00	£16.00
1000mm	£17.00	£37.00	£16.00
1200mm	£18.00	£38.00	£17.00
1300mm	£18.00	£40.00	£17.00
1500mm	£19.00	£42.00	£18.00
1800mm	£19.00	£47.00	£19.00

**How to order:** Simply add **[FG]** **[finish]** followed by **[length]** you require (e.g. FGSM600).

## Mobile Bays

To make your shelving bay mobile, put the bottom shelf as close to the castor fixing bolts as possible. Optional simple foot operated brake fitting is available upon request. This is a very cost effective high density system.



Guard Rail



Post Fixed Guard Rail



Mobile Bay Castor

## Important information to help you choose...

### Weight Loading

This handy weight matrix provides you, your engineers and customers with important shelf weight loading information. This information acts as a guide to ensure the most effective usage from your shelving range.

The table below shows the recommended evenly distributed load, based on a shelf deflection at 0.5% of the shelf length.

Finish → Length ↓	Firmashelf 4000 600 mm width	Nylon, Zinc, stainless steel wire 600mm width	Stainless steel solid/epoxy sold 600mm width	Aluminium Shelving
900	210	210	156	156
1000	180	180	135	135
1200	155	155	116	116
1500	124	124	93	93
1800	102	102	77	77

**Example:** Based on a 1200mm length shelf  $1200 \times 0.5\% = 6.00$  (or 6mm deflection in the centre of the shelf). Higher loads can be applied if an increased deflection is acceptable, but 0.7% is the maximum recommended safe working load. These weight loadings do not apply to shelf units fitted with castors. For shelf units fitted with castors the maximum load for a complete bay is 240kg based on a 3 point castor contact. The table shows the worst case scenario i.e. for the widest shelves. Loadings are normally higher for narrowing units. Figures highlight weight in kg per shelf.

### Standard Post Heights

All Cravens shelving finishes are available with either:

- The infinitely adjustable smooth post with one piece gripper system
- The fixed increment grooved post with two piece gripper system

Please note, either option offers no price variation and the choice is simply down to preference.

- 3 tier smooth posts are 1375mm high
- 4 tier smooth posts are 1675mm high
- 3 tier grooved posts are 1500mm high
- 4 tier grooved posts are 1700mm high

## Material uses

### Zinc chromate

**Suitable for** dry goods storage, dry pan racks, retail display shelving and other similar applications.

**Never use** in a moist environment such as refrigeration chillers (-5 to +3) damp or steamy kitchen areas etc., where constantly fluctuating temperatures cause condensation resulting in a breakdown of the lacquer coating and the eventual corrosion of the basic construction.

**Never use** where wet or salted food (bacon, cheese, etc.) may come into direct contact with the shelf, or where there is any possibility of spillage of an acidic liquid such as vinegar, which will chemically attack the lacquer and plating.

### Nylon coated

**Suitable for** general dry storage, refrigerators and freezers, excellent for damp environments, ideal for temperatures and ranging from -40 to +110 deep freeze and wet foods storage. Nylon coating is approved by the Federal Drugs Authority (USA), complies with German legislation on foodstuffs and has National Water Council approval.

**Never use** where there is a possibility of the coating being punctured during use.

### Natural finish stainless steel

**Suitable for** general dry storage, refrigerators, freezers, and retail displays.

### Satin finish stainless steel

**Suitable for** general dry storage, refrigeration and freezers, suitable for temperatures ranging from -40 to +110.

### Epoxy coated

**Suitable for** dry storage.

**Never use** where there is a possibility of the coating being chipped by hard or sharp items.

### Stainless steel

**Suitable for** any application.

**Never use** where there is a possibility of the coating being chipped by hard or sharp items.

### Chrome

**Suitable for** dry storage applications and as display units.

**Never use** in refrigeration or freezers or other moist/damp or corrosive conditions.

**Note:** Bays come on Zinc posts as standard. If you require Stainless Steel posts please indicate at time of order. Extra costs apply. Stainless steel perforated shelving is available upon request.

to place an order or get a quotation  
call 01423 796 200 or email [sales@craven-solutions.com](mailto:sales@craven-solutions.com)

## About your order

### **Standard Carriage:**

Carriage for shelving products is free on orders over £150.00 and £15.00 on orders less than £150.00. These charges are for standard 2-3 day carrier service to UK mainland. Any other request will be quoted for at the time of order.

Normal stock items should all be available for delivery within 7-10 days. Other items are normally available for delivery within 3-4 weeks. Delivery position for urgent orders should be checked with the sales office at time of ordering.

A full copy of terms and conditions are available on request or visit

**[www.craven-solutions.com](http://www.craven-solutions.com)**

**Call 01423 796 200 and speak  
to our Craven Sales Team**

**Or create a shopping list  
enquiry on our website**





The Storage  
& Handling Experts

Trust Craven to Deliver



[www.craven-solutions.com](http://www.craven-solutions.com)

Your local distributor is:

## Contact information:

**Craven & Co Ltd, Craven House**

**Manse Lane, Knaresborough**

**North Yorkshire HG5 8ET**

**Tel: 01423 796 200**

**Fax: 01423 869 189**

**Email: [sales@craven-solutions.com](mailto:sales@craven-solutions.com)**

**You can also find us  
on Caterquotes**

