



The Storage & Handling Experts



cedabond 



**MADE IN  
BRITAIN** 

[WWW.CRAVEN-SOLUTIONS.COM](http://WWW.CRAVEN-SOLUTIONS.COM)

01423 796 200

[SALES@CRAVEN-SOLUTIONS.COM](mailto:SALES@CRAVEN-SOLUTIONS.COM)



# ABOUT US

BRITISH-MADE STORAGE AND HANDLING SOLUTIONS AT COMPETITIVE PRICES



## WHO ARE WE?

We are the UK's leading designer and manufacturer of shelving, racking, trolleys and wirework products.

Using our expertise and experience of more than 60 years, combined with the latest technologies, we offer space-saving design and innovation in storage and handling.

Our robust, flexible products and systems offer original and unique solutions to the storage and handling needs of a wide range of industries including:

- Catering
- Healthcare
- Mortuary
- Logistics
- Educational
- Industrial
- Pharmaceutical
- Marine
- Bakery
- Shopfitting
- Retail
- Electronics

Alongside our standard product range, we also offer OEM and Bespoke solutions to match specific storage and handling requirements.

A vast majority of our products are designed and manufactured at our Yorkshire premises using mainly UK-sourced materials, and we work with an established network of trusted British suppliers. This means we are able to offer high quality products at low cost and with short lead times in both small and larger volumes, even for bespoke items.

We remain a thoroughly British manufacturer, with approximately 90% of our products designed and produced in Knaresborough. Proud of our home-grown heritage and our manufacturing expertise, we are committed to providing high quality products.

# TABLE OF CONTENTS

SHELVING	04
TROLLEYS	32
EVOLVE	56
MORTUARY	70
MEDICAL	80
OEM & BESPOKE	86
CAMBRO	90

## SHELVING





## NYLON SHELVING



PRODUCT RANGE: NYM

## NYLON SHELVING

- Available in 3 or 4 tier with a Nylon coating
- Fully food contact certified
- Constructed with a solid channel perimeter for ease of cleaning and a wire mesh centre to maximise air flow
- Ideal for refrigeration, deep freeze and wet foods storage
- Will tolerate a temperature range from -40°C to +110°C
- Full accessory range includes: castors (wheels), shelf clamps, shelf hooks, glide feet, post clamps and base frames
- Also available as a single shelf




CATERING



MEDICAL



MARINE



COLD ROOM



FOOD PROCESSING

SEE PAGE 24 FOR PRODUCT SPECIFICATIONS



ZINC WIRE

PRODUCT RANGE: ZIM

ZINC WIRE

- Available in 3 or 4 tier with a Zinc Chromate Plating
- Constructed with a solid channel perimeter for ease of cleaning and a wire mesh centre to maximise air flow
- Suitable for general dry storage, dry pan racks and retail display shelving
- Full accessory range includes: castors (wheels), shelf clamps, shelf hooks, glide feet, post clamps and base frames
- Also available as a single shelf



CATERING



VETERINARY



MORTUARY



RETAIL



PHARMACEUTICAL

SEE PAGE 25 FOR PRODUCT SPECIFICATIONS

## STAINLESS WIRE



PRODUCT RANGE: SWM

## STAINLESS WIRE

- Available in 3 or 4 tier in full 304G stainless steel finish
- Constructed with a solid channel perimeter for ease of cleaning and a wire mesh centre to maximise air flow
- Suitable for general dry storage, refrigeration, freezers and retail displays
- Full accessory range includes: castors (wheels), shelf clamps, shelf hooks, glide feet, post clamps and base frames
- Also available as a single shelf



CATERING



MEDICAL



MARINE



FOOD  
PROCESSING

SEE PAGE 26 FOR PRODUCT SPECIFICATIONS

## ALUMINIUM INSERT



PRODUCT RANGE: CA2

## ALUMINIUM INSERT


- Available in 3 & 4 tier as standard
- Includes removable and washable infill panels, a light weight anodised frame and modular construction
- Assembled differently to our standard Firmashelf as the uprights combine to allow for continuous runs
- Single shelves & angle connectors available




CATERING



MEDICAL



PHARMACEUTICAL



COLD ROOM



PUBLIC SECTOR

SEE PAGE 27 FOR PRODUCT SPECIFICATIONS



## CHROME WIRE



PRODUCT RANGE: CHM

## CHROME WIRE


- Available in 3 or 4 tier with a bright chrome finish
- An attractive front of house product display system
- The strength, stability and longevity of this system ensure that it is suitable for back of house dry storage
- Also available in single shelf and as a wine storage solution
- Garment rails can be added for extra versatility



CATERING



MEDICAL



PHARMACEUTICAL



RETAIL



PUBLIC  
SECTOR

SEE PAGE 28 FOR PRODUCT SPECIFICATIONS

## CAMBRO ELEMENTS

**CAMBRO**  
TRUSTED FOR GENERATIONS™



PRODUCT RANGE: ESU

## CAMBRO ELEMENTS

- Available in 4 or 5 tier vented or solid racks
- Antimicrobial Camguard protection permanently moulded into shelf plates - made from smooth composite plastic that resists peeling and scratching
- Shelf plates easily wipe clean or fit through a commercial dishwasher
- Solid shelves provide a stable surface that protects from unhygienic spills
- Lifetime guarantee against corrosion and rust




CATERING



RETAIL



PUBLIC  
SECTOR



COLD  
ROOM



FOOD  
PROCESSING

SEE PAGE 29 FOR PRODUCT SPECIFICATIONS

## CAMBRO PREMIUM

**CAMBRO**  
TRUSTED FOR GENERATIONS™



PRODUCT RANGE: MPU

## CAMBRO PREMIUM

- Available in 4 or 5 tier vented or solid racks
- Antimicrobial Camguard protection permanently moulded into shelf plates - made from smooth composite plastic wrapped around steel cores
- Vented shelves allow for maximum airflow and fit through a commercial dishwasher
- Solid shelves provide a stable surface that protects from unhygienic spills
- Lifetime guarantee against corrosion and rust




CATERING



RETAIL



PUBLIC  
SECTOR



COLD  
ROOM



FOOD  
PROCESSING

SEE PAGE 29 FOR PRODUCT SPECIFICATIONS



**STAINLESS SOLID**



**PRODUCT RANGE: SSM**

- Available in 3 or 4 tier in full 304G stainless steel finish.
- Constructed with a solid channel perimeter for ease of cleaning and a solid stainless steel centre to maximise air flow.
- Suitable for general dry storage, refrigeration, freezers and retail displays.

**SEE PAGE 30 FOR PRODUCT SPECIFICATIONS**

**MEDICAL**      **FOOD PROCESSING**      **CATERING**

**POLY COATED CHROME**



**PRODUCT RANGE: CHMN**

**MEDICAL**      **FOOD PROCESSING**      **CATERING**

- Available in 3 or 4 tier in a polymer coating
- Similar in design to our Chrome Wire shelving, the wire mesh centre allows for maximum air flow
- The hard wearing polymer coating makes it ideally suited for dry or cold storage whilst providing some protection against corrosion
- The weight loading capability is high making it a popular choice in commercial kitchens and for retail display

**SEE PAGE 31 FOR PRODUCT SPECIFICATIONS**





**HTM71**

Ideal for secure and organised storage of medical consumables, assisting with the regular flow of materials.



**ENCLOSURE KITS**

Provide secure storage of products where required – complete kits or single tier available.

**DISPLAY SHELVING**

Angled shelves give the opportunity to professionally display goods – single tiers compatible with appropriate existing units



**TRACK SYSTEM**

Designed for areas where space is an issue but storage demands are high, maximum stability and smooth movement is certain.



**EPOXY COATED SHELVING**

Perfect for dry storage and medical environments, the white epoxy coating makes the shelving well suited to chemical areas and medical environments.



**GARMENT RAIL**

A versatile option allowing additional storage capacity – mobile option readily available.



## SPECIFICATION SHEET NYLON

PRODUCT CODE	NYM
BASE SHELF MATERIAL	Mild Steel
FINISH	Silver grey thermoplastic powder coating applied via a fluidised bed. Food Contact certified.
USES	General catering storage, Dry storage, Refrigeration, Freezer, Retail displays.
WIDTHS AVAILABLE	300mm, 400mm, 450mm, 500mm, 600mm
LENGTHS AVAILABLE	600mm, 800mm, 900mm, 1000mm, 1100mm, 1200mm, 1300mm, 1500mm, 1800mm
WEIGHT LOADING	Up to 900mm – 150Kgs per shelf 1000mm – 140Kgs per shelf 1100mm – 135Kgs per shelf 1200mm – 110Kgs per shelf 1300mm – 100Kgs per shelf 1500mm – 90Kgs per shelf 1800mm – 75Kgs per shelf
POST OPTIONS	1700mm as standard (other heights available) Stainless steel Post also available
FEET	Standard supply Bolt foot, (Glide Feet and castors also available).
FEATURES & OPTIONS	'S' Hooks for continuous bay and ninety degree angled units Base Frame & Infill Shelves available
CLEANING	Cleaning should be undertaken using general purpose cleaning agents and may be pressure washed or steam cleaned. Castors may not be power washed or steam cleaned. Always read the label of the detergents to verify suitability with the product finish

- All weight loadings assume even load distribution across the shelf and are based on a 5% deflection of the centre of the shelf
- Maximum weight loading per bay is 800Kgs for a static bay, assuming bottom shelf is 70mm from the floor
- For mobile bays on standard castors the maximum weight loading is 240Kgs assuming a 3 point load and 80Kg per castor
- All shelf dimensions are shown as Nominal Width and Lengths, for actual widths subtract 9mm and for actual length subtract 34mm



## SPECIFICATION SHEET ZINC WIRE

PRODUCT CODE	ZIM
BASE SHELF MATERIAL	Mild Steel
FINISH	Zinc Plated, Spray coated, over primer base and baked
USES	General Catering Storage, Dry Storage, Retail Displays. *Not suitable for cold room or freezer use*
WIDTHS AVAILABLE	300mm, 400mm, 450mm, 500mm, 600mm
LENGTHS AVAILABLE	600mm, 800mm, 900mm, 1000mm, 1100mm, 1200mm, 1300mm, 1500mm, 1800mm
WEIGHT LOADING	Up to 900mm – 150Kgs per shelf 1000mm – 140Kgs per shelf 1100mm – 135Kgs per shelf 1200mm – 110Kgs per shelf 1300mm – 100Kgs per shelf 1500mm – 90Kgs per shelf 1800mm – 75Kgs per shelf
POST OPTIONS	1700mm as standard (other heights available) Stainless steel Post also available
FEET	Standard supply Bolt foot, (Glide Feet and castors also available).
FEATURES & OPTIONS	'S' Hooks for continuous bay and ninety degree angled units Base Frames available
CLEANING	Cleaning should be undertaken using general purpose cleaning agents and may be pressure washed or steam cleaned. Castors may not be power washed or steam cleaned. Always read the label of the detergents to verify suitability with the product finish

- All weight loadings assume even load distribution across the shelf and are based on a 5% deflection of the centre of the shelf
- Maximum weight loading per bay is 800Kgs for a static bay, assuming bottom shelf is 70mm from the floor
- For mobile bays on standard castors the maximum weight loading is 240Kgs assuming a 3 point load and 80Kg per castor
- All shelf dimensions are shown as Nominal Width and Lengths, for actual widths subtract 9mm and for actual length subtract 34mm



## SPECIFICATION SHEET STAINLESS STEEL WIRE

PRODUCT CODE	SWM
BASE SHELF MATERIAL	304G Stainless Steel
FINISH	Stainless Steel
USES	General Catering Storage, Dry Storage, Refrigeration, Freezers, Laboratory and Medical Storage
WIDTHS AVAILABLE	300mm, 400mm, 450mm, 500mm, 600mm
LENGTHS AVAILABLE	600mm, 800mm, 900mm, 1000mm, 1100mm, 1200mm, 1300mm, 1500mm, 1800mm
WEIGHT LOADING	Up to 900mm – 150Kgs per shelf 1000mm – 140Kgs per shelf 1100mm – 135Kgs per shelf 1200mm – 110Kgs per shelf 1300mm – 100Kgs per shelf 1500mm – 90Kgs per shelf 1800mm – 75Kgs per shelf
POST OPTIONS	1700mm as standard (other heights available) Stainless steel Post also available
FEET	Standard supply Bolt foot, (Glide Feet and castors also available).
FEATURES & OPTIONS	'S' Hooks for continuous bay and ninety degree angled units Base Frames available
CLEANING	Cleaning should be undertaken using general purpose cleaning agents and may be pressure washed or steam cleaned. Castors may not be power washed or steam cleaned. Always read the label of the detergents to verify suitability with the product finish.

- All weight loadings assume even load distribution across the shelf and are based on a 5% deflection of the centre of the shelf
- Maximum weight loading per bay is 800Kgs for a static bay, assuming bottom shelf is 70mm from the floor
- For mobile bays on standard castors the maximum weight loading is 240Kgs assuming a 3 point load and 80Kg per castor
- All shelf dimensions are shown as Nominal Width and Lengths, for actual widths subtract 9mm and for actual length subtract 34mm

## SPECIFICATION SHEET ALUMINIUM INFILL PANEL

PRODUCT CODE	CA2
BASE SHELF MATERIAL	Aluminium sections with a 20 micron anodised finish
FINISH	Anodised Aluminium
USES	General Catering Storage, Dry Storage, Refrigeration, Freezers, Laboratory and Medical Storage
WIDTHS AVAILABLE	400mm, 500mm, 600mm
LENGTHS AVAILABLE	746mm, 970mm, 1089mm, 1201mm, 1313mm, 1425mm, 1653mm
WEIGHT LOADING	Up to 746mm – 200Kgs per shelf 970mm – 180Kgs per shelf 1201mm – 180Kgs per shelf 1313mm – 140Kgs per shelf 1425mm – 100Kgs per shelf 1653mm – 90Kgs per shelf
POST OPTIONS	1650mm as standard (other heights available) Stainless steel Post also available
FEET	Standard supply Bolt foot, (Glide Feet and castors also available).
FEATURES & OPTIONS	Shelf hooks for continuous bay and angle connectors for ninety degree angled units Castors available
CLEANING	Cleaning should be undertaken using general purpose cleaning agents and may be pressure washed or steam cleaned. Castors may not be power washed or steam cleaned. Always read the label of the detergents to verify suitability with the product finish.

- All weight loadings assume even load distribution across the shelf
- The use of shelf hooks reduces loading by 25%
- Maximum weight loading per bay is 800Kgs for a static bay, assuming bottom shelf is 70mm from the floor
- For mobile bays on standard castors the maximum weight loading is 240Kgs assuming a 3 point load and 80Kg per castor
- All shelf dimensions are shown as Exact Sizes

## SPECIFICATION SHEET CHROME WIRE

PRODUCT CODE	CHM
BASE SHELF MATERIAL	Mild Steel Wire
FINISH	Bright Chrome Plated
USES	General catering storage, Front of House, Product Display
WIDTHS AVAILABLE	400mm, 450mm, 600mm
LENGTHS AVAILABLE	600mm, 750mm, 900mm, 1050mm, 1200mm, 1500mm, 1800mm
WEIGHT LOADING	Up to 750mm – 200Kgs per shelf 900mm – 190Kgs per shelf 1050mm – 190Kgs per shelf 1200mm – 175Kgs per shelf 1500mm – 150Kgs per shelf 1800mm – 125Kgs per shelf
POST OPTIONS	1700mm as standard (other heights available) 1500mm & 2200mm
FEET	Standard supply Bolt foot, (Glide Feet and castors also available).
FEATURES & OPTIONS	Shelf hooks for continuous bay and ninety degree angled units Castors available Shelf Edges & Dividers available
CLEANING	Cleaning should be undertaken using general purpose cleaning agents and may be pressure washed or steam cleaned. Castors may not be power washed or steam cleaned. Always read the label of the detergents to verify suitability with the product finish.

- All weight loadings assume even load distribution across the shelf
- The use of shelf hooks reduces loading by 25%
- Maximum weight loading per bay is 800Kgs for a static bay, assuming bottom shelf is 70mm from the floor
- For mobile bays on standard castors the maximum weight loading is 240Kgs assuming a 3 point load and 80Kg per castor
- All shelf dimensions are shown as Exact Sizes

## SPECIFICATION SHEET CAMBRO ELEMENTS / CAMBRO PREMIUM

PRODUCT CODE	ESU / CPU
BASE SHELF MATERIAL	<b>Elements:</b> Composite Plastic <b>Premium:</b> Composite Plastic wrapped around Solid Steel cores
FINISH	Anti-Microbial Smooth Plastic
USES	General Catering Storage, Dry Storage, Refrigeration, Freezers, Laboratory and Medical Storage
WIDTHS AVAILABLE	460mm, 610mm
LENGTHS AVAILABLE	610mm, 765mm, 915mm, 1070mm, 1220mm, 1525mm, 1830mm
WEIGHT LOADING	Up to 1220mm – 360Kgs per shelf Up to 1830mm – 270KGS per shelf
POST OPTIONS	1625mm as standard (other heights available) 1830mm 2130mm
FEET	Standard supply Bolt foot, (Glide Feet and castors also available).
FEATURES & OPTIONS	Gripper system designed for continuous bay and ninety degree angled units Mobile Units available Shelf Rails & Dividers Solid Shelf Undercounter units Drying Cradles
CLEANING	Cleaning should be undertaken using general purpose cleaning agents and may be pressure washed or steam cleaned. Castors may not be power washed or steam cleaned. Always read the label of the detergents to verify suitability with the product finish.

- All weight loadings assume even load distribution across the shelf
- Maximum weight loading per bay is 800Kgs for a static bay, assuming bottom shelf is 70mm from the floor
- For mobile bays on standard castors the maximum weight loading is 340Kgs
- All shelf dimensions are shown as Exact Sizes

## SPECIFICATION SHEET STAINLESS STEEL SOLID

PRODUCT CODE	SSM
BASE SHELF MATERIAL	304 Grade Stainless Steel Solid
FINISH	Stainless Steel
USES	General Catering Storage, Refrigeration, Freezers, Hospital and Medical Storage
WIDTHS AVAILABLE	300mm, 400mm, 450mm, 500mm, 600mm
LENGTHS AVAILABLE	600mm, 800mm, 900mm, 1000mm, 1100mm, 1200mm, 1300mm, 1500mm, 1800mm
WEIGHT LOADING	Up to 900mm – 150Kgs per shelf 1000mm – 140Kgs per shelf 1100mm – 135Kgs per shelf 1200mm – 110Kgs per shelf 1300mm – 100Kgs per shelf 1500mm – 90Kgs per shelf 1800mm – 75Kgs per shelf
POST OPTIONS	1700mm as standard (other heights available) Stainless steel Post also available
FEET	Standard supply Bolt foot, (Glide Feet and castors also available).
FEATURES & OPTIONS	Base Frames available
CLEANING	Cleaning should be undertaken using general purpose cleaning agents and may be pressure washed or steam cleaned. Castors may not be power washed or steam cleaned. Always read the label of the detergents to verify suitability with the product finish.

- All weight loadings assume even load distribution across the shelf and are based on a 5% deflection of the centre of the shelf
- Maximum weight loading per bay is 800Kgs for a static bay, assuming bottom shelf is 70mm from the floor
- For mobile bays on standard castors the maximum weight loading is 240Kgs assuming a 3 point load and 80Kg per castor
- All shelf dimensions are shown as Nominal Width and Lengths, for actual widths subtract 9mm and for actual length subtract 34mm

## SPECIFICATION SHEET POLY COATED CHROME

PRODUCT CODE	CHMN
BASE SHELF MATERIAL	Mild Steel Wire
FINISH	Polymer Coated
USES	General catering storage, Front of House, Temperature Control
WIDTHS AVAILABLE	400mm, 450mm, 600mm
LENGTHS AVAILABLE	600mm, 750mm, 900mm, 1050mm, 1200mm, 1500mm, 1800mm
WEIGHT LOADING	Up to 750mm – 200Kgs per shelf 900mm – 190Kgs per shelf 1050mm – 190Kgs per shelf 1200mm – 175Kgs per shelf 1500mm – 150Kgs per shelf 1800mm – 125Kgs per shelf
POST OPTIONS	1700mm as standard (other heights available) 1500mm & 2200mm
FEET	Standard supply Bolt foot, (Glide Feet and castors also available)
FEATURES & OPTIONS	Shelf hooks for continuous bay and ninety degree angled units Castors available Shelf Edges & Dividers available
CLEANING	Cleaning should be undertaken using general purpose cleaning agents and may be pressure washed or steam cleaned. Castors may not be power washed or steam cleaned. Always read the label of the detergents to verify suitability with the product finish.

- All weight loadings assume even load distribution across the shelf
- The use of shelf hooks reduces loading by 25%
- Maximum weight loading per bay is 800Kgs for a static bay, assuming bottom shelf is 70mm from the floor
- For mobile bays on standard castors the maximum weight loading is 240Kgs assuming a 3 point load and 80Kg per castor
- All shelf dimensions are shown as Exact Sizes



## TROLLEYS





**GENERAL PURPOSE TROLLEY**



**PRODUCT RANGE: RSE**

**MEDICAL    CATERING    VETERINARY**

- Available in 2, 3, 4 or 5 tiers our stainless steel general purpose trolleys are available in numerous sizes
- The trolley is delivered fully welded, eliminating the need for self-assembly
- Each trolley tier has dished trays in order to keep items secure
- Our complete design and manufacturing facilities mean this trolley can be adapted to bespoke sizes.

**SEE PAGE 46 FOR PRODUCT SPECIFICATIONS**

**HEAVY DUTY TROLLEY**



**PRODUCT RANGE: RGP**

**MEDICAL    CATERING    PUBLIC SECTOR**

- Provides more stability over varying surfaces
- Heavy duty trolleys are designed for the tougher working environment
- Manufactured with a fully welded base frame to strengthen the trolley

**SEE PAGE 47 FOR PRODUCT SPECIFICATIONS**

EPOXY COATED / ALLERGEN TROLLEYS




PRODUCT RANGE: ALGT  
PRODUCT RANGE: EME

- Available in 2 or 3 tiers in a dark grey epoxy finish, these trolleys have a fully welded frame and removable aluminium trays
- The lipped trays provide added security when transporting goods
- Ideal for transporting closely monitored goods that need to be allergen controlled.
- Popular in busy kitchens, our allergen trolley is available in 2, 3, 4 and 5 tiers and provides a simple yet very practical solution to storing and transporting allergen goods

SEE PAGE 48 FOR  
PRODUCT SPECIFICATIONS

TRAY CLEARING TROLLEY



PRODUCT RANGE: TCT

- Available as a single or double unit in many sizes and levels
- The trolley is fully welded and comes in either stainless steel or epoxy coating
- Designed to hold 460mm x 360mm trays, although they can be constructed to suit any requirement
- Side and back panels readily available
- Fully customisable with printed logos
- A wide range of colours available

SEE PAGE 49 FOR  
PRODUCT SPECIFICATIONS



CATERING

FOOD  
PROCESSING

COLD  
ROOM



MEDICAL



PHARMACEUTICAL



RETAIL



CATERING



PUBLIC  
SECTOR



**TRAY & CUTLERY DISPENSE TROLLEY**



**PRODUCT RANGE: TCDT**

RETAIL      CATERING      PUBLIC SECTOR

- Available in 2 or 3 tier in either stainless steel or epoxy coating
- Designed to hold up to 100 of 545mm x 385mm trays
- Delivered fully welded, eliminating the need for self-assembly
- A wide range of colours available

**SEE PAGE 50 FOR PRODUCT SPECIFICATIONS**

**TRAY DISPENSE TROLLEY**



**PRODUCT RANGE: TDT**

RETAIL      CATERING      PUBLIC SECTOR

- Available in either stainless steel or epoxy coating
- Designed to hold up to 100 460mm x 360mm trays
- Delivered fully welded, eliminating the need for self-assembly
- A wide range of colours available

**SEE PAGE 51 FOR PRODUCT SPECIFICATIONS**

**GLASS TRAY TROLLEY**



**PRODUCT RANGE: GLA**

**FOOD PROCESSING**   **CATERING**   **PUBLIC SECTOR**

- Available in 3 or 4 levels with a stainless steel finish
- Ideal for collecting, replenishment and drying of glasses, therefore perfect for a busy bar environment
- Designed to ensure the storage of tall glasses on every level
- Bottom level can be fitted with a solid stainless drip tray to prevent wet floors
- Delivered fully welded, eliminating the need for self-assembly.

**SEE PAGE 52 FOR PRODUCT SPECIFICATIONS**

**DISHWASHER BASKET TROLLEY**



**PRODUCT RANGE: D11**

**FOOD PROCESSING**   **CATERING**   **PUBLIC SECTOR**

- Accommodates seven 500mm x 500mm baskets
- Available in a stainless steel finish with 7 levels
- Designed with clearance between the baskets in order to hold crockery and to allow effective air drying
- Delivered fully welded, eliminating the need for self-assembly
- Bottom level can be fitted with a solid stainless drip tray to prevent wet floors

**SEE PAGE 53 FOR PRODUCT SPECIFICATIONS**



**GASTRONORM TROLLEY**

**BAKERY TROLLEY**



**PRODUCT RANGE: GNT**

**PRODUCT RANGE: BT**

**FOOD PROCESSING**   **CATERING**   **PUBLIC SECTOR**

- Available in 7, 10, 15 and 20 levels
- 304G Stainless steel finish, options available to accommodate both GN 1/1 and GN 2/1 Gastronorm tray and pans
- Delivered fully welded, eliminating the need for self-assembly

**SEE PAGE 54 FOR PRODUCT SPECIFICATIONS**

**FOOD PROCESSING**   **CATERING**   **PUBLIC SECTOR**

- Available in 15 or 20 levels
- 304G Stainless Steel finish, designed to accommodate universal Euronorm / Bakery tray size of 600 x 400 mm
- Delivered fully welded, eliminating the need for self-assembly

**SEE PAGE 55 FOR PRODUCT SPECIFICATIONS**





**PLATEMATE**

Providing secure transportation for a variety of crockery – ideal for improving service efficiency



**PLATE TROLLEY**

Mobile storage option for empty plates – holding up to 400 plates

**CRANK HANDLE TROLLEY**

Useful for a number of general utilities – suitable for front of house



**SELF-LEVELLING TROLLEY**

Spring Loaded aluminium trolley, self-adjusting relevant to load placed



## SPECIFICATION SHEET GENERAL PURPOSE TROLLEY

PRODUCT CODE	RSE
BASE SHELF MATERIAL	304 Grade Stainless Steel w/ 25mm diameter tubing
FINISH	Fully Welded Unit
USES	General catering, medical & education use Food / Item transportation
WIDTHS AVAILABLE	776mm, 821mm, 921mm
DEPTHS AVAILABLE	522mm, 571mm, 671mm
HEIGHTS AVAILABLE	777mm, 924mm, 970mm
WEIGHT LOADING	2 Tiers – 120KG 3 Tiers – 180KG 4/5 Tiers – 240KG
FEATURES & OPTIONS	Dished trays to keep items easy to clean and secure Sound proofed shelves Push / Pull Welded handles Bespoke sizes available
CASTORS	4 Inch / 100mm castors 2 Swivel / 2 Braked Castors provided Bumpers fitted as standard
CLEANING	Cleaning should be undertaken using general purpose cleaning agents and may be pressure washed or steam cleaned. Castors may not be power washed or steam cleaned. Always read the label of the detergents to verify suitability with the product finish.

## SPECIFICATION SHEET HEAVY DUTY TROLLEY

PRODUCT CODE	RGP
BASE SHELF MATERIAL	304 Grade Stainless Steel w/ 25mm diameter tubing Welded Stainless Steel Base Frame
FINISH	Fully Welded Unit
USES	General catering, medical & education use Food / Item transportation on varying surfaces
WIDTHS AVAILABLE	821mm, 921mm
DEPTHS AVAILABLE	571mm, 671mm
HEIGHTS AVAILABLE	991mm
PITCH	2 Tiers – 662mm 3 Tiers – 331mm
WEIGHT LOADING	2 Tiers – 120KG 3 Tiers – 180KG 4/5 Tiers – 240KG
FEATURES & OPTIONS	Dished trays to keep items easy to clean and secure Sound proofed shelves Push / Pull Welded handles Bespoke sizes available
CASTORS	4 Inch / 100mm castors 2 Swivel / 2 Braked Castors provided Bumpers fitted as standard
CLEANING	Cleaning should be undertaken using general purpose cleaning agents and may be pressure washed or steam cleaned. Castors may not be power washed or steam cleaned. Always read the label of the detergents to verify suitability with the product finish.

## SPECIFICATION SHEET EPOXY COATED/ ALLERGEN TROLLEYS

PRODUCT CODE	ME / ALG
BASE SHELF MATERIAL	Mild Steel w/ 25mm diameter tubing
FINISH	Epoxy Coated, Fully Welded Unit with removable aluminium trays
USES	General catering, medical & education use Food / Item transportation on varying surfaces Kitchen / Food control environments
WIDTHS AVAILABLE	870mm, 970mm
DEPTHS AVAILABLE	570mm, 670mm
HEIGHTS AVAILABLE	976mm
PITCH	2 Tiers – 600mm 3 Tiers – 300mm
WEIGHT LOADING	2 Tiers – 120KG 3 Tiers – 180KG
FEATURES & OPTIONS	Trays have upstands to keep items easy to secure Removable trays for ease of cleaning Push / Pull Welded handles Bespoke sizes available Full range of colour coatings available on request
CASTORS	4 Inch / 100mm castors 2 Swivel / 2 Braked Castors provided Bumpers fitted as standard
CLEANING	Cleaning should be undertaken using general purpose cleaning agents and may be pressure washed or steam cleaned. Castors may not be power washed or steam cleaned. Always read the label of the detergents to verify suitability with the product finish.

## SPECIFICATION SHEET TRAY CLEARING TROLLEYS

PRODUCT CODE	TCT
BASE SHELF MATERIAL	Mild Steel w/ 25mm diameter square tubing <b>OR</b> 304G Stainless Steel w/ 25mm diameter square tubing
FINISH	Dark Grey epoxy coating w/silver grey nylon coated runners <b>OR</b> Complete 304 Grade Stainless Steel frame and runners
USES	General catering, canteens / dining areas School Meals
LEVELS	Single Column: 7 / 10 / 12 Double Column: 10 / 12 / 15
PITCH	7 Levels – 170mm 10 / 12 / 15 Levels – 110mm
WIDTHS AVAILABLE	Single Column: 485mm Double Column: 875mm
DEPTHS AVAILABLE	578mm
HEIGHTS AVAILABLE	1393mm, 1563mm, 1893mm
TRAY SIZE	460mm x 360mm
FEATURES & OPTIONS	Bespoke sizes available Full range of colour coatings available on request Side & Back Panels available in numerous colours
CASTORS	4 Inch / 100mm castors 2 Swivel / 2 Braked Castors provided Bumpers fitted as standard
CLEANING	Cleaning should be undertaken using general purpose cleaning agents and may be pressure washed or steam cleaned. Castors may not be power washed or steam cleaned. Always read the label of the detergents to verify suitability with the product finish.



## SPECIFICATION SHEET TRAY & CUTLERY DISPENSE TROLLEYS

PRODUCT CODE	TCDT
BASE SHELF MATERIAL	Mild Steel w/ 25mm diameter square tubing <b>OR</b> 304G Stainless Steel w/ 25mm diameter square tubing
FINISH	Dark Grey epoxy coating w/silver grey nylon coated runners <b>OR</b> Complete 304 Grade Stainless Steel frame and runners
USES	General catering, canteens / dining areas School Meals
LEVELS	Single Tier, Two Tier, Three Tier
WIDTHS AVAILABLE	609mm, 675mm
DEPTHS AVAILABLE	509mm, 520mm
HEIGHTS AVAILABLE	1150mm, 1176mm
TRAY SIZE	545mm x 385mm
FEATURES & OPTIONS	Full range of colour coatings available on request Tray Dispense can hold up to 100 trays
CASTORS	4 Inch / 100mm Castors 2 Swivel / 2 Braked Castors provided Bumpers fitted as standard
CLEANING	Cleaning should be undertaken using general purpose cleaning agents and may be pressure washed or steam cleaned. Castors may not be power washed or steam cleaned. Always read the label of the detergents to verify suitability with the product finish.

## SPECIFICATION SHEET TRAY DISPENSE TROLLEYS

PRODUCT CODE	TDT
BASE SHELF MATERIAL	Mild Steel w/ 25mm diameter square tubing <b>OR</b> 304G Stainless Steel w/ 25mm diameter square tubing
FINISH	Dark Grey epoxy coating w/silver grey nylon coated runners <b>OR</b> Complete 304 Grade Stainless Steel frame and runners
USES	General catering, canteens / dining areas School Meals
LEVELS	Single Tier
WIDTHS AVAILABLE	603mm
DEPTHS AVAILABLE	509mm
HEIGHTS AVAILABLE	790mm
TRAY SIZE	545mm x 385mm
FEATURES & OPTIONS	Full range of colour coatings available on request Can hold up to 100 trays
CASTORS	4 Inch / 100mm castors 2 Swivel / 2 Braked Castors provided Bumpers fitted as standard
CLEANING	Cleaning should be undertaken using general purpose cleaning agents and may be pressure washed or steam cleaned. Castors may not be power washed or steam cleaned. Always read the label of the detergents to verify suitability with the product finish.

## SPECIFICATION SHEET GLASS TRAY TROLLEYS

PRODUCT CODE	GLA
BASE SHELF MATERIAL	304G Stainless Steel w/ 25mm diameter square tubing
FINISH	Complete 304 Grade Stainless Steel frame and runners
USES	General catering, canteens / dining areas Ideal for Back of House
LEVELS	3
WIDTHS AVAILABLE	603mm
DEPTHS AVAILABLE	509mm
HEIGHTS AVAILABLE	790mm
PITCH	218mm
BASKET SIZE	500mm x 500mm
FEATURES & OPTIONS	Drip Tray Suitable Cambro Baskets can be provided Bespoke Sizes available
CASTORS	4 Inch / 100mm castors 4 swivel castors provided Bumpers fitted as standard
CLEANING	Cleaning should be undertaken using general purpose cleaning agents and may be pressure washed or steam cleaned. Castors may not be power washed or steam cleaned. Always read the label of the detergents to verify suitability with the product finish.

## SPECIFICATION SHEET DISHWASHER BASKET TROLLEYS

PRODUCT CODE	DI1
BASE SHELF MATERIAL	304G Stainless Steel w/ 25mm diameter square tubing
FINISH	Complete 304 Grade Stainless Steel frame and runners
USES	General catering, canteens / dining areas Ideal for Back of House Air-drying cutlery & crockery
LEVELS	7
WIDTHS AVAILABLE	626mm
DEPTHS AVAILABLE	509mm
HEIGHTS AVAILABLE	790mm
PITCH	218mm
BASKET SIZE	500mm x 500mm
FEATURES & OPTIONS	Drip Tray Suitable Cambro Baskets can be provided Bespoke Sizes available
CASTORS	4 Inch / 100mm castors 4 swivel castors provided Bumpers fitted as standard
CLEANING	Cleaning should be undertaken using general purpose cleaning agents and may be pressure washed or steam cleaned. Castors may not be power washed or steam cleaned. Always read the label of the detergents to verify suitability with the product finish.

## SPECIFICATION SHEET GASTRONORM TROLLEYS

PRODUCT CODE	GNT
BASE SHELF MATERIAL	304G Stainless Steel w/ 25mm diameter square tubing
FINISH	Complete 304 Grade Stainless Steel frame and runners
USES	General catering, canteens / dining areas Ideal for Back of House Food Transportation
TRAY SIZE	GN 1/1, GN 2/1
LEVELS	Single Column: 7 / 10 / 15 / 20 Twin Column: 15
WIDTHS AVAILABLE	<b>GN 1/1 Capacity:</b> 603mm <b>GN 2/1 Capacity:</b> 655mm
DEPTHS AVAILABLE	<b>GN 1/1 Capacity:</b> 608mm <b>GN 2/1 Capacity:</b> 728mm
HEIGHTS AVAILABLE	<b>GN 1/1 Capacity:</b> 860mm, 1097mm, 1492mm, 1747mm <b>GN 2/1 Capacity:</b> 860mm, 1097mm, 1492mm, 1747mm
PITCH	<b>GN 1/1 Capacity:</b> 79mm <b>GN 2/1 Capacity:</b> 79mm
FEATURES & OPTIONS	Stainless Steel Top on 7 Level trolleys Rounded frame on EST range
CASTORS	4 Inch / 100mm castors 2 Swivel / 2 Braked Castors provided Bumpers fitted as standard
CLEANING	Cleaning should be undertaken using general purpose cleaning agents and may be pressure washed or steam cleaned. Castors may not be power washed or steam cleaned. Always read the label of the detergents to verify suitability with the product finish.

## SPECIFICATION SHEET BAKERY TROLLEYS

PRODUCT CODE	BT
BASE SHELF MATERIAL	304G Stainless Steel w/ 25mm diameter square tubing
FINISH	Complete 304 Grade Stainless Steel frame and runners
USES	General catering, canteens / dining areas Ideal for Back of House Food Transportation
TRAY SIZE	600mm x 400mm
LEVELS	15, 20
WIDTHS AVAILABLE	526mm
DEPTHS AVAILABLE	695mm
HEIGHTS AVAILABLE	1492mm, 1747mm
PITCH	79mm
FEATURES & OPTIONS	Stainless Steel Top on 7 Level trolleys Rounded frame on CBR range Numerous levels available on request
CASTORS	4 Inch / 100mm castors 2 Swivel / 2 Braked Castors provided Bumpers fitted as standard
CLEANING	Cleaning should be undertaken using general purpose cleaning agents and may be pressure washed or steam cleaned. Castors may not be power washed or steam cleaned. Always read the label of the detergents to verify suitability with the product finish.





**EVOLVE**  
·Self Assembly Products·

**EVOLVE**

## SERVING TROLLEY



## GASTRONORM TROLLEY




PUBLIC  
SECTOR

CATERING PHARMACEUTICAL

- Available in 2, 3, 4 and 5 tiers, this stainless steel serving trolley is robust enough to cope with busy kitchen and medical environments
- A highly popular and versatile trolley can be used in multiple applications
- Quick and easy to assemble

SEE PAGE 66 FOR  
PRODUCT SPECIFICATIONS



FOOD  
PROCESSING

CATERING

PUBLIC  
SECTOR

- Both robust and lightweight, this stainless steel model has 15 stacking and storing levels for holding Gastronorm 1/1 trays and easy grip sides for safe and simple handling
- Retaining wire included
- Quick and easy to assemble
- An option to take GN 2/1 trays and a twin column trolley also available

SEE PAGE 66 FOR  
PRODUCT SPECIFICATIONS



## BAKERY TROLLEY



## CUTLERY TROLLEY



RETAIL



CATERING



FOOD  
PROCESSING

- Available in 15 or 20 Levels in a stainless steel finish, this durable bakery trolley has been designed to accommodate universal Euronorm / Bakery tray size of 600 x 400 mm
- Built to last, the trolleys are easy to assemble
- Retaining wire included.

SEE PAGE 67 FOR  
PRODUCT SPECIFICATIONS



RETAIL



CATERING



PUBLIC  
SECTOR

- Provided with 2 clearing bins and a stainless steel base, these cutlery trolleys are an ideal solution for clearing and serving dirty or freshly washed items, making dealing with lots of cutlery simple and easy
- Quick and easy to assemble, the trolley is perfect for schools, cafes and restaurants

SEE PAGE 67 FOR  
PRODUCT SPECIFICATIONS





## PLATFORM / SACK TROLLEY



## DISHWASHER BASKET TROLLEY



RETAIL

CATERING

FOOD  
PROCESSING

- Made from 204 Grade St/Steel
- Ideal for transporting heavy goods around restricted pathways
- 250kg weight loading capacity

SEE PAGE 68 FOR  
PRODUCT SPECIFICATIONS



FOOD  
PROCESSING

CATERING

PUBLIC  
SECTOR

- Available in 4 or 7 levels, the trolleys are an ideal solution for transporting dirty or freshly washed items, preventing the complication of mass washing goods
- Designed to take the universal dishwasher basket size of 500mm x 500mm, these trolleys are an essential to any busy catering or food processing environment

SEE PAGE 68 FOR  
PRODUCT SPECIFICATIONS



## WORK TABLES



## GASTRONORM / BAKERY SHELVES



CATERING PHARMACEUTICAL VETERINARY

- Available in 3 sizes, our commercial grade catering tables are perfect for instantly creating a hygienic food preparation area
- The upstand protects walls from splashes and spills and makes it easy to wash down
- Supplied with a fitted shelf for handy under surface storage
- Quick and easy to assemble, the table is sturdy and highly durable, making it an ideal choice for a busy kitchen where it will be used on a daily basis

**SEE PAGE 69 FOR  
PRODUCT SPECIFICATIONS**

RETAIL CATERING FOOD PROCESSING

- Available in 304G Stainless Steel or Low Density Poly coated
- GN 1/1 and GN 2/1 options
- 600mm x 400mm Bakery shelves also available
- Suited to all types of commercial oven/fridges

**SEE PAGE 69 FOR  
PRODUCT SPECIFICATIONS**



## SPECIFICATION SHEET SERVING TROLLEY



PRODUCT CODE	KD SERVING TROLLEY
FINISH	201 Grade - Stainless steel
LEVELS	2 / 3 / 4 / 5
WIDTHS AVAILABLE	<b>MEDIUM:</b> 810mm <b>LARGE:</b> 860mm
DEPTHS AVAILABLE	<b>MEDIUM:</b> 460mm <b>LARGE:</b> 540mm
HEIGHTS AVAILABLE	<b>MEDIUM:</b> 850mm <b>LARGE:</b> 940mm / 1250mm / 1560mm
CASTORS	Two swivel and two braked 100mm Zinc Castors
HEALTH & SAFETY	Bumpers are fitted as standard to ensure reduced risk to personnel and property

## GASTRONORM TROLLEY

PRODUCT CODE	KD GASTRONORM TROLLEY
FINISH	201 Grade - Stainless steel
TRAY SIZE	GN 1/1, GN 2/1
LEVELS	Single Column: 7 / 15 Twin Column: 15
WIDTHS AVAILABLE	<b>GN 1/1 CAPACITY:</b> 390mm / 740mm <b>GN 2/1 CAPACITY:</b> 590mm
DEPTHS AVAILABLE	<b>GN 1/1 CAPACITY:</b> 550mm <b>GN 2/1 CAPACITY:</b> 670mm
HEIGHTS AVAILABLE	<b>GN 1/1 CAPACITY:</b> 1000mm / 1710mm <b>GN 2/1 CAPACITY:</b> 1710mm
CASTORS	Two swivel and two braked 100mm Zinc Castors
HEALTH & SAFETY	Bumpers are fitted as standard to ensure reduced risk to personnel and property

## SPECIFICATION SHEET BAKERY TROLLEY



PRODUCT CODE	KD BAKERY TROLLEY
FINISH	201 Grade - Stainless steel
TRAY SIZE	600mm x 400mm
PITCH	85mm
LEVELS	15
WIDTHS AVAILABLE	470mm
DEPTHS AVAILABLE	620mm
HEIGHTS AVAILABLE	1735mm
CASTORS	Two swivel and two braked 100mm Zinc Castors
HEALTH & SAFETY	Bumpers are fitted as standard to ensure reduced risk to personnel and property

## CUTLERY TROLLEY

PRODUCT CODE	KD CUTLERY TROLLEY
FINISH	201 Grade - Stainless steel
PROVIDED WITH	Clearing Bins
LEVELS	2
WIDTHS AVAILABLE	630mm
DEPTHS AVAILABLE	400mm
HEIGHTS AVAILABLE	940mm
CASTORS	Two swivel and two braked 100mm Zinc Castors
HEALTH & SAFETY	Bumpers are fitted as standard to ensure reduced risk to personnel and property





## SPECIFICATION SHEET PLATFORM / SACK TROLLEY



PRODUCT CODE	KD PLATFORM TROLLEY
FINISH	204G Stainless Steel
WIDTHS AVAILABLE	900mm
DEPTHS AVAILABLE	550mm
HEIGHTS AVAILABLE	870mm
WEIGHT LOADING	250 KGS
CASTORS	Plated fixed, 2 swivel 2 braked

## DISHWASHER BASKET TROLLEY

PRODUCT CODE	KD DISHWASH TROLLEY
FINISH	201 Grade - Stainless steel
BASKET SIZE	500mm x 500mm
LEVELS	4 / 7
WIDTHS AVAILABLE	560mm
DEPTHS AVAILABLE	510mm
HEIGHTS AVAILABLE	1000mm, 1700mm
CASTORS	Two swivel and two braked 100mm Zinc Castors
HEALTH & SAFETY	Bumpers are fitted as standard to ensure reduced risk to personnel and property

## SPECIFICATION SHEET WORK TABLES



PRODUCT CODE	KD WORK TABLES
FINISH	201 Grade - Stainless steel
PROVIDED WITH	Upstand and Adjustable Shelf
WIDTHS AVAILABLE	1200mm, 1500mm, 1800mm
DEPTHS AVAILABLE	600mm
HEIGHTS AVAILABLE	850mm
FEET	4 Bolted Feet

## GASTRONORM / BAKERY SHELVES

PRODUCT CODE	GN / CS
FINISH	304 Grade - Stainless steel OR Low Density Poly Coated
SHELF SIZES	<b>GN 1/1</b> 530mm x 325mm <b>GN 2/1</b> 650mm x 530mm <b>Bakery / Euronorm</b> 600mm x 400mm





# MORTUARY







Our mortuary racking is easy to assemble, and offers choice and flexibility to create the perfect fit for any space. Our mortuary trolleys are robust yet lightweight. The range includes both fully-welded and collapsible viewing trolleys, instrument trolleys with optimal storage, and easy-to-manoeuvre transportation trolleys.

From design and manufacture to installation and maintenance, here at Craven we have a long-standing reputation for high-quality, robust products. As a UK manufacturer with our own in-house design team, we can not only deliver on short lead times and at a competitive price point, but are also able to offer bespoke solutions if required. Contact us for more details.

## MORTUARY RACKING AND MORTUARY TROLLEYS

Our mortuary racking and mortuary trolleys provide versatile, practical and long-lasting solutions for a wide range of requirements, with bespoke options also available.

With space-saving design to maximise capacity, our mortuary racking and trolleys are precision-engineered to ensure ease of use and manoeuvrability. They are made from high-quality, durable materials that are resistant to corrosion and can withstand considerable weight and extreme temperatures. They are also extremely hygienic, with removable parts making them easy to clean and maintain.





## MORTUARY RACKING

Our mortuary racking fulfils a wide range of requirements with a choice of free-standing, mobile, fixed height, adjustable height and even bespoke options to maximise storage capacity. Our specialist in-house installation team works across the UK to ensure our racking solutions perfectly fit the space for which they are intended.

- Choice of free-standing, mobile, fixed-height or adjustable-height units
- Bespoke options also available
- Range of sizes
- Single, double and multiple bays
- Stainless Steel or Epoxy Coated
- Sturdy and robust
- Can withstand -30° temperatures
- Four evenly-spaced rollers offer easy tray transfer
- Hygienic and easy to clean
- Easy to assemble, with various fixing options
- Manufactured in the UK using British suppliers
- Standard warranty applies
- For further information please contact us



SEE PAGE 78 FOR PRODUCT SPECIFICATIONS

## BIER TROLLEY

With fixed or collapsible options, our biers are designed to be robust and versatile.

- Steel frame with durable coating
- 125mm castors fitted with brakes.
- Length 915mm width 508mm height 675mm
- Fitted with six buffers.
- Custom sizes available
- Manufactured in the UK using British suppliers.
- Standard warranty applies.
- For further information please contact us



SEE PAGE 78 FOR PRODUCT SPECIFICATIONS

## INSTRUMENT TROLLEY

Our durable instrument trolleys are designed to provide optimal storage for mortuary instruments. Made from high-quality stainless steel, they are hygienic and easy to clean.

- Optimal storage for instruments
- Hygienic and easy to clean
- Fully welded and ready for use
- Flat shelves at the top and bottom
- Comes with bumpers
- Comes with 2 x braked and 2 x swivel castors as standard
- Made from 304 grade stainless steel
- Anti-glare stainless steel top
- Choice of width and depth
- Manufactured in the UK using British suppliers
- Standard warranty applies
- For further information please contact us



SEE PAGE 79 FOR PRODUCT SPECIFICATIONS

## TRANSPORTATION TROLLEY

With a variety of tiers, sizes and even bespoke solutions, our transportation trolleys provide flexibility of choice. Made from high-quality stainless steel or epoxy coating, they are durable, strong and corrosion-proof, yet at the same time lightweight and easy to manoeuvre.

- Available in 2, 3 or 4 tiers
- Made from either stainless steel or epoxy coating
- Trays have an upstand on all sides for secure transportation
- Range of sizes
- Bespoke design and manufacture available
- Delivered fully welded: no self-assembly needed
- Comes with 2 x braked and 2 x swivel castors
- Manufactured in the UK using British suppliers
- Standard warranty applies
- For further information please contact us



SEE PAGE 79 FOR PRODUCT SPECIFICATIONS

## SPECIFICATION SHEET MORTUARY RACKING

PRODUCT CODE	MR
FINISH	Epoxy Coated / St Steel
TIERS	3 / 4
OPTIONS	660 / 750 / 900
LENGTH	1945mm
WIDTHS	773mm / 863mm / 1008mm
HEIGHT	2050mm
ROLLERS	Epoxy – 4 zinc plated per tier Stainless – 4 st/plated per tier
OPTIONS	Backstop Adjustable Feet

## BIER TROLLEY

PRODUCT CODE	BIER TROLLEY
FINISH	Epoxy Coated
WIDTHS	915mm
DEPTH	508mm
HEIGHT	673mm
CASTORS	4 Low noise castors
OPTIONS	Collapsible & Fixed

## SPECIFICATION SHEET INSTRUMENT TROLLEY

PRODUCT CODE	MIT
FINISH	304G St / Steel
LEVELS	2
WIDTHS	460mm / 700mm / 910mm
DEPTHS	460mm / 500mm / 560mm
HEIGHT	850mm
CASTORS	2 braked and 2 swivel castors
OPTIONS	3 sided upstands

## TRANSPORTATION TROLLEY

PRODUCT CODE	RSE
BASE SHELF MATERIAL	304 Grade Stainless Steel w/ 25mm diameter tubing
FINISH	Fully Welded Unit
WIDTHS AVAILABLE	776mm, 821mm, 921mm
DEPTHS AVAILABLE	522mm, 571mm, 671mm
HEIGHTS AVAILABLE	777mm, 924mm, 970mm
WEIGHT LOADING	2 Tiers – 120KG 3 Tiers – 180KG 4/5 Tiers – 240KG
CASTORS	4 Inch / 125mm Castors 2 Swivel / 2 Braked Castors provided Bumpers fitted as standard



**MEDICAL**







**WHY CRAVEN PRODUCTS ARE PERFECT FOR THE MEDICAL ENVIRONMENT:**

- Over 60 years experience
- Products built to last – you'll see Craven products in hospitals across the country that have been used for over 20 years

- Bespoke capabilities – hospitals will have specific requirements on a lot of their equipment needs. Craven have the facility to redesign and manufacture bespoke solutions where needed, which proves very popular in the medical industry
- We regularly work with high quality stainless steel, making our products durable and ideal for sterile services
- Craven have worked closely with key contacts at numerous hospitals nationwide to provide products that perfectly suit their needs







**PRODUCTS WE PROVIDE:**

- IV stands
- Camera trolley
- Medicare (baskets only)
- Medicare + (trays and baskets)
- Cylinder trolley
- Glove box holder (single and Triple)
- Sanitiser dispenser
- Bedpan drainage rack
- Bed pan and urinal drainer
- Theatre dressing trolley
- Instrument Trolley
- Phlebotomy Trolley
- COSHH cabinet
- Self-levelling trolley
- Height adjustable tables
- Paper trolleys
- Bowel stands (single and double)
- Catheter racks
- Clog racks
- Swab racks
- Surgeon step
- HTM71 Storage
- Apron dispenser



## OEM & BESPOKE







- Here at Craven, we use our expertise and experience of more than 60 years to design bespoke solutions for a wide range of clients
- We are continually investing in new technologies to enable us to create and manufacture original, innovative and unique products

- Our bespoke products are designed and manufactured at our UK premises, meaning we remain hands-on throughout the whole process to ensure that the final product meets and even exceeds your expectations
- We are able to provide both small batch and larger volumes of products due to our UK manufacturing facility and our established network of local partners





CAMBRO

**CAMBRO**<sup>®</sup>  
TRUSTED FOR GENERATIONS<sup>™</sup>





- Craven began their partnership with Cambro in February 2020, expanding their selection of high quality shelving and storage products
- Cambro have been providing high quality and durable catering solutions since 1951

- The partnership between both manufacturers allows us to offer our customers a more versatile range of products into a wide range of sectors from healthcare to education and catering
- Cambro products are recognised worldwide for their food safety and durability – Camshelving Elements & Premium ranges have a lifetime guarantee against rust and corrosion
- Many Cambro sundry products are perfectly suited to work alongside Craven products – such as their CamTrays and baskets -see below examples!







The Storage & Handling Experts



cedabond



**MADE IN  
BRITAIN**

CRAVEN & CO LTD  
CRAVEN HOUSE,  
MANSE LANE,  
KNARESBOROUGH,  
NORTH YORKSHIRE  
HG5 8ET

[WWW.CRAVEN-SOLUTIONS.COM](http://WWW.CRAVEN-SOLUTIONS.COM)  
01423 796 200  
[SALES@CRAVEN-SOLUTIONS.COM](mailto:SALES@CRAVEN-SOLUTIONS.COM)



COMPANY REGISTRATION NUMBER: 3909505  
VAT NUMBER: GB 747 177406  
ISO9001 QUALITY MANAGEMENT CERTIFICATION: 8142